

10/642,890

File 275:Gale Group Computer DB(TM) 1983-2007/Apr 24
(c) 2007 The Gale Group
File 621:Gale Group New Prod.Annou.(R) 1985-2007/Apr 24
(c) 2007 The Gale Group
File 636:Gale Group Newsletter DB(TM) 1987-2007/Apr 24
(c) 2007 The Gale Group
File 16:Gale Group PROMT(R) 1990-2007/Apr 25
(c) 2007 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
(c) 1999 The Gale Group
File 148:Gale Group Trade & Industry DB 1976-2007/Apr 25
(c)2007 The Gale Group
File 624:McGraw-Hill Publications 1985-2007/Apr 25
(c) 2007 McGraw-Hill Co. Inc
File 15:ABI/Inform(R) 1971-2007/Apr 25
(c) 2007 ProQuest Info&Learning
File 647:CMP Computer Fulltext 1988-2007/Jul w2
(c) 2007 CMP Media, LLC
File 674:Computer News Fulltext 1989-2006/Sep w1
(c) 2006 IDG Communications
File 696:DIALOG Telecom. Newsletters 1995-2007/Apr 25
(c) 2007 Dialog
File 369:New Scientist 1994-2007/Dec w2
(c) 2007 Reed Business Information Ltd.

Set	Items	Description
S1	116022	INSTALLED(5N)(APPLICATION? ? OR PROGRAM? ? OR SOFTWARE OR - FILE OR FILES)
S2	40013	(INSTALLATION OR REGISTRY)(5N)(DATA OR INFORMATION)
S3	4348	INSTALLATION(5N)(LIST OR LISTING OR HISTORY OR LOG OR RECO- RD)
S4	1516260	IMAGE? ? OR IMG
S5	4404	S1:S3(7N)(COPY??? OR COPIE? ? OR READ??? OR SAV???)
S6	281876	S4(5N)(CREAT??? OR CONSTRUCT??? OR BUILD??? OR BUILT OR GE- NERAT??? OR PRODUC????? OR OUTPUT???)
S7	44	S5(10N)S4
S8	32	RD (unique items)
S9	30	S8 NOT PY=2004:2007
S10	239	S6(10N)S1:S3
S11	131	RD (unique items)
S12	129	S11 NOT S8
S13	113	S12 NOT PY=2004:2007
S14	50	S10(100N)(INSTALLER OR UNINSTAL? OR UN()INSTAL? OR REGISTR- Y)
S15	24	RD (unique items)
S16	22	S15 NOT (S8 OR PY=2004:2007)

9/3,K/1 (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

02554177 SUPPLIER NUMBER: 79856001 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Mac 911.(troubleshooting Mac OS X)(Questions and Answers)(Column)
BREEN, CHRISTOPHER
Macworld, 18, 11, 86
Nov, 2001
DOCUMENT TYPE: Column ISSN: 0741-8647 LANGUAGE: English
RECORD TYPE: Fulltext
WORD COUNT: 2103 LINE COUNT: 00162

... If you're installing Alsoft's Disk Warrior, launch the installer and select the Emergency **image** as your destination. Once the **program** has **installed**, launch the **copy** of Disk warrior on Emergency; then enter your name and serial number. If you don...

9/3,K/2 (Item 2 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

02516955 SUPPLIER NUMBER: 76143369 (USE FORMAT 7 OR 9 FOR FULL TEXT)
An unfriendly Ghost - Difficult-to-use interface, required reboots, and other drawbacks mar Ghost 7.0's appeal to enterprises.(Software Review)(Evaluation)
Maddox, Tom
Infoworld, 23, 27, 100
July 2, 2001
DOCUMENT TYPE: Evaluation ISSN: 0199-6649 LANGUAGE: English
RECORD TYPE: Fulltext; Abstract
WORD COUNT: 1148 LINE COUNT: 00097

... new features is the Multicast Server, which allows the simultaneous replication of a single disk **image** to multiple remote systems. Ghost also allows administrators to **copy** user profiles, perform incremental **data** backups, and customize **installation** configurations. These features are all controlled using a single system running Enterprise Console, the software...

9/3,K/3 (Item 3 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

02459913 SUPPLIER NUMBER: 68500417 (USE FORMAT 7 OR 9 FOR FULL TEXT)
The Essential Guide to Installing Windows Me.(The Essential Guide to Installing windows Me -- Save time and aggravation, and install windows Me on your PC the right way.)(News Briefs)
Randall, Neil
WinMag.com, NA
Dec 22, 2000
LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 12548 LINE COUNT: 00931

TEXT:

...won't work under winMe. Or, just because you want to see what happens. (click **image** for expanded view) Uninstalling windows Me, if you've **saved** your setup **information** during **installation**, can be done with the click of a button. To uninstall, close all your programs...

9/3,K/4 (Item 4 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2007 The Gale Group. All rts. reserv.

02459675 SUPPLIER NUMBER: 68314145 (USE FORMAT 7 OR 9 FOR FULL TEXT)
**The Essential Guide to Installing Windows Me.(The Essential Guide to
Installing windows Me -- Save time and aggravation, and install windows
Me on your PC the right way.)(Product Support)**

Randall, Neil
WinMag.Com, NA

Dec 20, 2000

LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 12548

LINE COUNT: 00931

TEXT:

...won't work under winMe. Or, just because you want to see what happens. (click **image** for expanded view) Uninstalling windows Me, if you've **saved** your setup **information** during **installation**, can be done with the click of a button. To uninstall, close all your programs...

9/3,K/5 (Item 5 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2007 The Gale Group. All rts. reserv.

02436037 SUPPLIER NUMBER: 65134431 (USE FORMAT 7 OR 9 FOR FULL TEXT)
**Netier's NetXpress Makes a Strong Case for Thin Clients.(Hardware
Review)(Evaluation)**

Fudge, Michael, Jr.

Network Computing, 32

Sept 4, 2000

DOCUMENT TYPE: Evaluation

ISSN: 1046-4468

LANGUAGE: English

RECORD TYPE: Fulltext

WORD COUNT: 1066

LINE COUNT: 00085

... without user interaction. The management software simplifies the process of creating your own XL client **images**.

Package Downloads

Packages can be re-created by **reading** the existing **software installed** on a NetXpress workstation. The entire contents of the disk on chip are then packaged...

9/3,K/6 (Item 6 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2007 The Gale Group. All rts. reserv.

02128505 SUPPLIER NUMBER: 20039032 (USE FORMAT 7 OR 9 FOR FULL TEXT)
The art of scheduling. (Windows NT and 95 installation) (Product Support)

Lafferty, David

Network, v12, n13, p127(2)

Dec, 1997

LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 1963

LINE COUNT: 00162

...ABSTRACT: using unattended answer files, OEM preinstall setup method, using the SYSDIFF tool and making an **image copy** of a fully **installed** system. Unattended answer **files** provide input to the normal windows NT setup program, but benefit from having hardware consistency...

... windows NT be the same for all machines where SYSDIFF difference files will be applied.

IMAGE COPY

Essentially, this **installation** method transfers **data** from a fully installed system to, a destination system. It can be implemented with simple

...

...drive duplication machines, which perform sector data transfer, or with

third-party tools that create **image copy files** of an installed system. The latter approach is used for duplicating multiple systems.

One of the most popular **image copy** tools is Ghost from Ghost Software (Milwaukee). It **copies installed** NT or Windows 95 system disks either to an **image file** or immediately to the destination system.

Like SYSDIFF, image copy installation requires consistent hardware...

9/3,K/7 (Item 7 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)

(c) 2007 The Gale Group. All rts. reserv.

01783924 SUPPLIER NUMBER: 16897447 (USE FORMAT 7 OR 9 FOR FULL TEXT)

QMS eyes doc control. (QMS Inc's Imaging Office System)

Raskin, Donna

MacWEEK, v9, n21, p1(2)

May 22, 1995

ISSN: 0892-8118

LANGUAGE: ENGLISH

RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 623

LINE COUNT: 00052

...ABSTRACT: Customized options will include arranging and archiving as well as printing and distribution of hard **copy** or electronic **files installed** in client hardware. The client **software** also includes the **Image** on Demand previewing utility, **Image** Arranger, Digital Photo Copier, Image Browser and a Twain scanner interface. The Image Arranger is ...

9/3,K/8 (Item 1 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)

(c) 2007 The Gale Group. All rts. reserv.

02263896 Supplier Number: 58311059 (USE FORMAT 007 FOR FULLTEXT)

FlashPoint Expands New Market for In-Camera Software with the Introduction of Digita Presents and Digita File.

Business Wire, p0050

Dec 20, 1999

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 693

... and requiring no host PC. Options available through Digita File include: formatting CompactFlash cards; renaming **files**; viewing details about the **installed** card; and **reading** stored picture information. It can also delete all **image** files while maintaining the system folders and files. Additionally, images can be sorted by date...

9/3,K/9 (Item 2 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)

(c) 2007 The Gale Group. All rts. reserv.

01625710 Supplier Number: 48374898 (USE FORMAT 007 FOR FULLTEXT)

DMP and IMR Partner to Develop Electronic Archiving Solution for Wholesale Lockboxes and Remittance Processing.

Business Wire, p3241392

March 24, 1998

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 905

... images to its customers. And unlike other electronic remittance processing solutions, no IMR or DMP **software** needs to be **installed** to **read** the CD. All **image** viewers, the transaction data and the query software is written to each CD for complete...

9/3,K/10 (Item 1 from file: 636)

DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

05602412 Supplier Number: 102044565 (USE FORMAT 7 FOR FULLTEXT)

Data Backup Methods.

BE Radio, v8, n8, pNA

August 1, 2002

Language: English Record Type: Fulltext

Document Type: Magazine/Journal; Trade

Word Count: 1208

... necessary to re-install the application. However, several software vendors offer programs that create an **image** of the **installed** operating system, including its configuration **files** that can be **copied** to a disk. These typically store data on a CD-ROM. These programs also load

9/3,K/11 (Item 2 from file: 636)

DIALOG(R)File 636:Gale Group Newsletter DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

03491445 Supplier Number: 47200345 (USE FORMAT 7 FOR FULLTEXT)

REVIEW:PAGIS PRO

Telecomworldwire, pN/A

March 11, 1997

Language: English Record Type: Fulltext

Document Type: Newsletter; Trade

Word Count: 396

... The application works under windows 95 and includes Xerox' Textbridge for OCRing documents. Once the **program** is **installed** -- a simple, one stage process -- you are **ready** to start scanning. The scanned **image** can be saved to disk, sent to fax or OCRed for use in a wordprocessor...

9/3,K/12 (Item 1 from file: 16)

DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2007 The Gale Group. All rts. reserv.

11003091 Supplier Number: 112451764 (USE FORMAT 7 FOR FULLTEXT)

Walgreens' photo, web site tweaked.

Chain Drug Review, v25, n16, p2(1)

Sept 29, 2003

Language: English Record Type: Fulltext

Document Type: Magazine/Journal; Trade

Word Count: 508

... print showing thumbnails of all 25 shots and a photo CD.
The CD also includes **software** that can be **installed** in a personal computer for viewing, **saving**, printing and E-mailing **images**.
On the marketing front walgreens hopes to capitalize on the booming growth of the Hispanic...

9/3,K/13 (Item 2 from file: 16)

DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2007 The Gale Group. All rts. reserv.

11002938 Supplier Number: 112217456 (USE FORMAT 7 FOR FULLTEXT)

Walgreens' Studio 35 gets tested.(Photography)(disposable digital camera)(Brief Article)

Chain Drug Review, v25, n17, p33(1)
Oct 13, 2003
Language: English Record Type: Fulltext
Article Type: Brief Article
Document Type: Magazine/Journal; Trade
Word Count: 223

... print showing thumbnails of all 25 shots and a photo CD with files of the **images**. The CD includes **software** that can be **installed** in a personal computer for viewing, **saving**, printing and E-mailing **images**.

9/3,K/14 (Item 3 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2007 The Gale Group. All rts. reserv.

10216697 Supplier Number: 95146956 (USE FORMAT 7 FOR FULLTEXT)
Tungsten T impresses -- Cool Tools.(Palm Tungsten T PDA)
Shaw, Keith
Network World, p42(1)
Dec 9, 2002
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; General Trade
Word Count: 705

... easily - just plug it into the device, it installs its software immediately, and you're **ready** to take photos. There is some desktop **software** that needs to be **installed** so you can download the **images** off the Palm device.

The one issue we had with the camera attachment was with...

9/3,K/15 (Item 4 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2007 The Gale Group. All rts. reserv.

06149486 Supplier Number: 53936711 (USE FORMAT 7 FOR FULLTEXT)
WinTips -- Windows 9x.(tips for windows 95, windows 98, windows NT)(Product Support)
Windows Magazine, p163(1)
March 1, 1999
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; General Trade
Word Count: 1607

... image from the Clipboard into the Paint window. Choose File/Save As to name and **save** it as a BMP **file**. (If Paint isn't **installed** on your PC, you can use another **image** program, or install Paint from the Add/Remove Programs applet. Open the windows Setup tab...

9/3,K/16 (Item 5 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2007 The Gale Group. All rts. reserv.

06024453 Supplier Number: 53446480 (USE FORMAT 7 FOR FULLTEXT)
Printers with pluses: Don't just buy a printer. For a few bucks more, get a resource everyone on the network can use.(Epson Stylus Color 850N, JetFax M930)(Hardware Review)(Evaluation)
SCHLESINGER, LEE
Network World, p46(1)
Dec 21, 1998
Language: English Record Type: Fulltext
Article Type: Evaluation
Document Type: Magazine/Journal; Trade

Word Count: 322

... documents stored therein.

Though the online help claims Jetsuite includes a built-in optical character reader program for translating text in an **image file** to editable text, we **installed the software** twice without finding it. Fortunately, Caere Corp. sent me its superlative OmniPage Pro 9.0...

9/3,K/17 (Item 1 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

16683409 SUPPLIER NUMBER: 112217456 (USE FORMAT 7 OR 9 FOR FULL TEXT
)

Walgreens' Studio 35 gets tested.(Photography)

Chain Drug Review, 25, 17, 33(1)

Oct 13, 2003

ISSN: 0164-9914 LANGUAGE: English RECORD TYPE: Fulltext

WORD COUNT: 223 LINE COUNT: 00020

... print showing thumbnails of all 25 shots and a photo CD with files of the **images**. The CD includes **software** that can be **installed** in a personal computer for viewing, **saving**, printing and E-mailing **images**.

9/3,K/18 (Item 2 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

10154383 SUPPLIER NUMBER: 18422499 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Focus on: help desk applications and technologies. (includes related article on computer-technology integration)

Longoria, Joe; Brady, Cate

Telemarketing & Call Center Solutions, v14, n8, p52(3)

Feb, 1996

LANGUAGE: English RECORD TYPE: Fulltext

WORD COUNT: 1875 LINE COUNT: 00156

... program that can determine proper configuration of the network components.

* Make sure the help desk **application** can be **installed** as a sharable **application** on the executable **image** server. This will **save** you large amounts of time in installation, upgrades and the process of debugging troublesome workstations...

9/3,K/19 (Item 3 from file: 148)

DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

07174607 SUPPLIER NUMBER: 14882467 (USE FORMAT 7 OR 9 FOR FULL TEXT)

Cutting gold: a guide to in-house CD-ROM production.

Young, Andrew

CD-ROM Professional, v7, n1, p100(8)

Jan, 1994

ISSN: 1049-0833 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT

WORD COUNT: 5703 LINE COUNT: 00434

... files to process instead of using "file skip forward" commands to move from one tar **image** to the next. Add a **README .TXT** file discussing how to run the **installation** program, run the **data** set through a commercially available CD-ROM formatting utility and you will be ready to ...

9/3,K/20 (Item 4 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

06092373 SUPPLIER NUMBER: 12443081 (USE FORMAT 7 OR 9 FOR FULL TEXT)
FAA will convert pilot registries to digital audio tape. (U.S. Federal Aviation Administration) (Systems)
Menke, Susan M.
Government Computer News, v11, n15, p53(2)
July 20, 1992
ISSN: 0738-4300 LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT; ABSTRACT
WORD COUNT: 552 LINE COUNT: 00044

... DAT conversion will take two to four years, after which the imaging system should be **ready** to accept and convert the DAT **data** to final format. The **registry images** will be compressed to CCITT Group 4 and TIFF Class B bilevel standards, he said.

9/3,K/21 (Item 5 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

03524669 SUPPLIER NUMBER: 06395562 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Present. (SML Services) (evaluation)
Ingebretsen, Dorothy
RQ, v27, n3, p414(2)
Spr, 1988
CODEN: RQRQAQ DOCUMENT TYPE: evaluation ISSN: 0033-7072
LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT
WORD COUNT: 678 LINE COUNT: 00054

... images stored in BASIC's BSAVE format can be saved. The program sequentially numbers the **saved images** in a **file** named when Camera was **installed**.

Once the screen **images** are **saved** with the Camera program, Prepare is used to assemble these "slides" or images into a...

9/3,K/22 (Item 1 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2007 ProQuest Info&Learning. All rts. reserv.

02567843 235982281
Implementing cloning software in a library environment
Tull, Laura
Library Hi Tech v19n2 PP: 143-149 2001
ISSN: 0737-8831 JRNL CODE: LIHT
WORD COUNT: 4621

...TEXT: the computer to the network. Once connected to the server, a simple command transmits the **image** of the hard drive to the server. I initially **installed** an evaluation **copy** of cloning **software** on my own computer, which was running windows 95 at the time, so basically any...

9/3,K/23 (Item 2 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2007 ProQuest Info&Learning. All rts. reserv.

02501260 260687481
Cool tools: Tungsten T impresses
Shaw, Keith
Network World v19n49 PP: 42 Dec 9, 2002

ISSN: 0887-7661 JRNL CODE: NWW
WORD COUNT: 690

...TEXT: easily - just plug it into the device, it installs its software immediately, and you're **ready** to take photos. There is some desktop **software** that needs to be **installed** so you can download the **images** off the Palm device.

The one issue we had with the camera attachment was with...

9/3,K/24 (Item 3 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2007 ProQuest Info&Learning. All rts. reserv.

02240317 83789628
Mac 911
Breen, Christopher
Macworld v18n11 PP: 86-88 Nov 2001
ISSN: 0741-8647 JRNL CODE: IMCW
WORD COUNT: 2022

...TEXT: If you're installing Alsoft's Disk Warrior, launch the installer and select the Emergency **image** as your destination. Once the **program** has **installed**, launch the **copy** of Disk warrior on Emergency; then enter your name and serial number. If you don...

9/3,K/25 (Item 4 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2007 ProQuest Info&Learning. All rts. reserv.

01950257 45662526
Altiris express 4.0 takes over system installations
Avery, Mike
InfoWorld v21n42 PP: 40, 44 Oct 18, 1999
ISSN: 0199-6649 JRNL CODE: IFW
WORD COUNT: 547

...TEXT: good software distribution and change-management package with centralized administration.

BUSINESS CASE

Automated software distribution can **save** money and time, allowing additional **software** and updates to be **installed** quickly and correctly. Altiris express uses disk- **image** duplication to automate installation processes and provides automated software distribution to reduce user problems...

9/3,K/26 (Item 5 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2007 ProQuest Info&Learning. All rts. reserv.

01248042 98-97437
Focus on: Help desk applications and technologies
Longoria, Joe
Telemarketing & Call Center Solutions v14n8 PP: 52-55 Feb 1996
ISSN: 0730-6156 JRNL CODE: TLM
WORD COUNT: 1563

...TEXT: program that can determine proper configuration of the network components.

* Make sure the help desk **application** can be **installed** as a sharable **application** on the executable **image** server. This will **save** you large amounts of time in installation, upgrades and the process of debugging troublesome workstations...

9/3,k/27 (Item 1 from file: 647)

DIALOG(R)File 647:CMP Computer Fulltext
(c) 2007 CMP Media, LLC. All rts. reserv.

01222503 CMP ACCESSION NUMBER: NWC20000904S0009
Netier's NetXpress Makes a Strong Case for Thin Clients
Michael Fudge Jr.
NETWORK COMPUTING, 2000, n 1117, PG32
PUBLICATION DATE: 000904
JOURNAL CODE: NWC LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Sneak Previews
WORD COUNT: 980

... without user interaction. The management software simplifies the process of creating your own XL client **images**.

Package Downloads

Packages can be re-created by **reading** the existing **software installed** on a NetXpress workstation. The entire contents of the disk on chip are then packaged...

9/3,k/28 (Item 2 from file: 647)

DIALOG(R)File 647:CMP Computer Fulltext
(c) 2007 CMP Media, LLC. All rts. reserv.

01185746 CMP ACCESSION NUMBER: WIN19990301S0070
WinTips - windows 9x (winTips)
WINDOWS MAGAZINE, 1999, n 1003, PG163
PUBLICATION DATE: 990301
JOURNAL CODE: WIN LANGUAGE: English
RECORD TYPE: Fulltext
SECTION HEADING: Solutions
WORD COUNT: 1546

... image from the Clipboard into the Paint window. Choose File/Save As to name and **save** it as a **BMP file**. (If Paint isn't **installed** on your PC, you can use another **image** program, or install Paint from the Add/Remove Programs applet. Open the Windows Setup tab...

9/3,k/29 (Item 1 from file: 674)

DIALOG(R)File 674:Computer News Fulltext
(c) 2006 IDG Communications. All rts. reserv.

104301

Tungsten T impresses -- Cool Tools

Byline: Keith Shaw
Journal: Network World Page Number: 42
Publication Date: December 09, 2002
Word Count: 663 Line Count: 56

Text:

... easily - just plug it into the device, it installs its software immediately, and you're **ready** to take photos. There is some desktop **software** that needs to be **installed** so you can download the **images** off the Palm device. The one issue we had with the camera attachment was

with...

9/3,K/30 (Item 2 from file: 674)
DIALOG(R)File 674:Computer News Fulltext
(c) 2006 IDG Communications. All rts. reserv.

071140

Printers with pluses

Don't just buy a printer. For a few bucks more, get a resource everyone on the network can use.

Byline: lee schlesinger

Journal: Network World Page Number: 46

Publication Date: December 21, 1998

Word Count: 337 Line Count: 30

Text:

... documents stored therein. Though the online help claims Jetsuite includes a built-in optical character **reader** program for translating text in an **image** file to editable text, we **installed** the **software** twice without finding it. Fortunately, Caere Corp. sent me its superlative OmniPage Pro 9.0...

16/3,K/1 (Item 1 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

02686888 SUPPLIER NUMBER: 96810971 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Have a heart. (New Products & Services).(Brief Article)

Health Management Technology, 24, 1, 68(1)
Jan, 2003

DOCUMENT TYPE: Brief Article ISSN: 1074-4770 LANGUAGE: English
RECORD TYPE: Fulltext
WORD COUNT: 106 LINE COUNT: 00013

TEXT:

...a healthcare enterprise. Soarian Cardiology supports cardiology workflow by providing users with supply management and **registry data** submission tools and the ability to keep track of **images produced** during examinations. The application is a true data repository for cross-cardiology modality procedures, assisting...

16/3,K/2 (Item 2 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

02163495 SUPPLIER NUMBER: 20507217 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Preventive Medicine.(software packages to intercept, diagnose, and fix problems in the use of windows 95: CyberMedia's First Aid 98, Symantec's Norton Utilities 3.0 for windows 95, McAfee Associates' Nuts & Bolts 1.04, and Quarterdeck's RealHelp Extra Strength) (Software Review)(Evaluation)

May, Scott A.
Computer Shopper, v18, n5, p278(1)
May, 1998

DOCUMENT TYPE: Evaluation ISSN: 0886-0556 LANGUAGE: English
RECORD TYPE: Fulltext
WORD COUNT: 2517 LINE COUNT: 00207

... maintenance. But if all else fails, and the program cannot avert a major catastrophe, the **Image & Restore** tool lets you **create an image** file of critical system **information**, including the windows 95 **Registry**. In the event your system becomes corrupted, you can instantly restore your system using this...

16/3,K/3 (Item 3 from file: 275)
DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

02132842 SUPPLIER NUMBER: 20105042 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Lab automation software gives system administrators a break. (Brigham Young University using KeyLabs' LabExpert lab automation software) (Product Information)

T H E Journal (Technological Horizons In Education), v25, n4, p42(1)
Nov, 1997

ISSN: 0192-592X LANGUAGE: English RECORD TYPE: Fulltext; Abstract
WORD COUNT: 796 LINE COUNT: 00063

... consists of five components: The Control Console, ImageBlaster Pro, Bootworks, the KeyLabs Agent and the **Registry** Manager. The only requirements are a networked lab connected to a server and a windows...

...processor during the next boot sequence and execute batch files, applications or tools.

ImageBlaster Pro **creates** an identical **image** of a target disk configured with **software** to be **installed** on other workstations. The

Bootworks component controls the boot sequence for each machine on the...

...that receives Control Console cues via the network and automatically executes those commands. Finally, the **Registry Manager** is a tool that automates the process for customizing windows **registry** files.

"When we reinstall an operating system using LabExpert in any of our labs, it...

16/3,K/4 (Item 4 from file: 275)

DIALOG(R)File 275:Gale Group Computer DB(TM)
(c) 2007 The Gale Group. All rts. reserv.

02082869 SUPPLIER NUMBER: 19604289 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Helix's Nuts & Bolts keeps your system fine-tuned. (Helix Software's \$49.95 utility package) (Software Review)(Evaluation)

May, Scott A.

Computer Shopper, v17, n8, p537(1)

August, 1997

DOCUMENT TYPE: Evaluation ISSN: 0886-0556 LANGUAGE: English

RECORD TYPE: Fulltext; Abstract

WORD COUNT: 511 LINE COUNT: 00045

... and Zip drives, pairing damaged file structures, recovering lost clusters, and locking out surface defects. **Image & Restore creates an image file of critical system information (including the Registry)** to be used in the event your system becomes corrupted. A companion utility, Rescue Disk...

16/3,K/5 (Item 1 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

04155269 Supplier Number: 132320094 (USE FORMAT 007 FOR FULLTEXT)
Siemens Announces General Availability of Soarian(TM) Clinical Access And Soarian Cardiology.

PR Newswire, pNA

Oct 22, 2002

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 910

... Additionally, Soarian Cardiology supports the cardiology workflow by providing such comprehensive tools as supply management, **registry data** submissions, and the ability to keep track of **images produced** during examinations. Most important, Soarian Cardiology is a true data repository for cross-cardiology modality...

16/3,K/6 (Item 2 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

03231580 Supplier Number: 89808427 (USE FORMAT 007 FOR FULLTEXT)
GE Global Exchange Services Enhances Global Product Catalogue Service.

Business Wire, p2363

July 29, 2002

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 745

... ECCN Network Services provides enabling tools for e-commerce advancement including ECCnet, an online, standardized **product registry** for synchronized **data** exchange, **Image & Data** Capture Services and Bar

Code Scan Certificates. More information can be found at www.eccc...

16/3,K/7 (Item 3 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

03076477 Supplier Number: 80945769 (USE FORMAT 007 FOR FULLTEXT)
**Major Consumer and Food Products Manufacturers ECCnet Certified Using
Profile Systems Software and Services.**
Business Wire, p2124
Dec 20, 2001
Language: English Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 707

... established to provide enabling tools for e-commerce advancement
including ECCnet, an on-line standardized **product registry** for
synchronized **data** exchange, **Image & Dimension Capture Services** and Bar
Code Scan Certification.

About Profile Systems
Based in West Springfield...

16/3,K/8 (Item 4 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

02466363 Supplier Number: 61706373 (USE FORMAT 007 FOR FULLTEXT)
Aladdin Systems, Inc. Expands Worldwide Distribution Network.
PR Newswire, pNA
March 31, 2000
Language: English Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 413

... Aladdin publishes StuffIt(TM), a worldwide compression standard;
Spring Cleaning(TM), the best-selling Macintosh **uninstaller**; MacTicker, a
desktop stock ticker; Aladdin FlashBack(TM), providing unlimited "Undos"
and instant access to...

...customizes desktop items for maximum user efficiency. Other Aladdin
products include: InstallerMaker(TM), the complete **installation** and **data**
distribution standard; Shrinkwrap(TM), the quickest and easiest way to
create and distribute disk **images**; and the StuffIt Engine SDK. Aladdin
provides computing solutions that help people transmit, access and...

16/3,K/9 (Item 5 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

02273712 Supplier Number: 58488540 (USE FORMAT 007 FOR FULLTEXT)
**(2) New Independent Benchmarks Show Stuffit, From Aladdin Systems, Is Best
Compression Technology Available in the Industry Today.**
PR Newswire, p2520
Dec 29, 1999
Language: English Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 898

... Aladdin publishes StuffIt(R), a worldwide compression standard;
Spring Cleaning(TM), the best-selling Macintosh **uninstaller**;
MacTicker(TM), a desktop stock ticker; Aladdin FlashBack(TM), providing
unlimited "Undos" and instant access...

...a 24-hour time-lapse scenic photography sequence on the desktop; InstallerMaker(TM), the complete **installation** and **data** distribution standard; Shrinkwrap(TM), the quickest and easiest way to **create** and distribute disk **images** ; and the Stuffit Engine(TM) SDK. Aladdin provides computing solutions that help people transmit, access...

16/3,K/10 (Item 6 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

02269421 Supplier Number: 58404243 (USE FORMAT 007 FOR FULLTEXT)
New Independent Benchmarks Show Stuffit, From Aladdin Systems, Is Best Compression Technology Available in the Industry Today.

PR Newswire, p2507

Dec 29, 1999

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 898

... Aladdin publishes Stuffit(R), a worldwide compression standard; Spring Cleaning(TM), the best-selling Macintosh **uninstaller** ; MacTicker(TM), a desktop stock ticker; Aladdin FlashBack(TM), providing unlimited "Undos" and instant access...

...a 24-hour time-lapse scenic photography sequence on the desktop; InstallerMaker(TM), the complete **installation** and **data** distribution standard; Shrinkwrap(TM), the quickest and easiest way to **create** and distribute disk **images** ; and the Stuffit Engine(TM) SDK. Aladdin provides computing solutions that help people transmit, access...

16/3,K/11 (Item 7 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

02256464 Supplier Number: 58171646 (USE FORMAT 007 FOR FULLTEXT)
Aladdin Focuses on Its Customers - Partners With MacFixIt.com to Create Its Own Product Discussion Online Forum to Answer Inquiries, Offer Solutions.

PR Newswire, p0475

Dec 13, 1999

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 534

... Aladdin publishes Stuffit(R), a worldwide compression standard; Spring Cleaning(TM), the best-selling Macintosh **uninstaller** ; MacTicker(TM), a desktop stock ticker; Aladdin FlashBack(TM), providing unlimited "undos" and instant access...

...a 24-hour time-lapse scenic photography sequence on the desktop; InstallerMaker(TM), the complete **installation** and **data** distribution standard; Shrinkwrap(TM), the quickest and easiest way to **create** an distribute disk **images** ; and the Stuffit Engine SDK. Aladdin provides computing solutions that help people transmit, access and...

16/3,K/12 (Item 8 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

02252858 Supplier Number: 58077469 (USE FORMAT 007 FOR FULLTEXT)
Aladdin Systems Ships DropZip, Offering Windows Users the Best Compression In The Industry, Choice of Compression Standards, and Access to All

Popular Internet Formats.

PR Newswire, p7439

Dec 8, 1999

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 1177

... time-lapse scenic photography sequence on the desktop; Spring Cleaning(TM) the best-selling Macintosh **uninstaller** ; MacTicker(TM), a desktop stock ticker; and Aladdin Desktop Magician(TM), customizes desktop items for maximum user efficiency. Other Aladdin products include: InstallerMaker(TM), the complete **installation** and **data** distribution standard; Shrinkwrap(TM), the quickest and easiest way to **create** and distribute disk **images** ; and the StuffIt Engine SDK. Aladdin provides computing solutions that help people transmit, access and...

16/3,K/13 (Item 9 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)

(c) 2007 The Gale Group. All rts. reserv.

02243568 Supplier Number: 57809572 (USE FORMAT 007 FOR FULLTEXT)

Aladdin Ships InstallerMaker 6.5 - New Version Creates Installers That Help Increase Product Awareness and Gain Valuable Marketing Data for Developers.

PR Newswire, p0565

Nov 29, 1999

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 978

... Aladdin publishes StuffIt(R), a worldwide compression standard; Spring Cleaning(TM), the best-selling Macintosh **uninstaller** ; MacTicker(TM), a desktop stock ticker; Aladdin FlashBack(TM), providing unlimited "Undos" and instant access...

...a 24-hour time-lapse scenic photography sequence on the desktop; InstallerMaker(TM), the complete **installation** and **data** distribution standard; Shrinkwrap(TM), the quickest and easiest way to **create** and distribute disk **images** ; and the StuffIt Engine SDK. Aladdin provides computing solutions that help people transmit, access and...

16/3,K/14 (Item 10 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)

(c) 2007 The Gale Group. All rts. reserv.

02230233 Supplier Number: 57528534 (USE FORMAT 007 FOR FULLTEXT)

Aladdin's StuffIt Expanders Exceed 2.1 Million Downloads Just From The Aladdin Systems, Inc. Web Site.

PR Newswire, p3428

Nov 12, 1999

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 620

... Aladdin publishes StuffIt(R), a worldwide compression standard; Spring Cleaning(TM), the best-selling Macintosh **uninstaller** ; MacTicker(TM), a desktop stock ticker; Aladdin FlashBack(TM), providing unlimited "Undos" and instant access...

...a 24-hour time-lapse scenic photography sequence on the desktop; InstallerMaker(TM), the complete **installation** and **data** distribution standard; Shrinkwrap(TM), the quickest and easiest way to **create** and distribute disk **images** ; and the StuffIt Engine(TM) SDK. Aladdin provides

computing solutions that help people transmit, access...

16/3,K/15 (Item 11 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

02150883 Supplier Number: 55493257 (USE FORMAT 007 FOR FULLTEXT)
**Aladdin DropStuff 5.0- New Free Windows Upgrade Provides Up to 20% Better
Compression Than Other Zip Utilities by Creating Smaller Stuffit Archives
On Your PC.**

Business Wire, p0245

August 18, 1999

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 1012

... products. Aladdin publishes Stuffit, the worldwide compression standard; Spring Cleaning(tm) the best-selling Macintosh **uninstaller**; MacTicker(tm), a desktop stock ticker; Aladdin FlashBack(tm), providing unlimited "Undos" and instant access...

...customizes desktop items for maximum user efficiency. Other Aladdin products include: InstallerMaker(tm), the complete **installation** and **data** distribution standard; Shrinkwrap(tm), the quickest and easiest way to **create** and distribute disk **images**; and the Stuffit Engine SDK. Aladdin provides computing solutions that help people transmit, access and...

16/3,K/16 (Item 12 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

02122835 Supplier Number: 55197908 (USE FORMAT 007 FOR FULLTEXT)
**MACWORLD Expo New York '99 Exhibitor Profiles A to Z; Conference and
Exhibition to be Held July 20 Through 23 in New York, Part 1 of 3.**

Business Wire, p0656

July 20, 1999

Language: English Record Type: Fulltext

Document Type: Newswire; Trade

Word Count: 2863

... winning software. Aladdin publishes Stuffit, the worldwide compression standard; Spring Cleaning, the number 1 Macintosh **uninstaller**

; Aladdin FlashBack, provides unlimited "Undos" and instant access to any document in any application; Private...

...wallpaper that displays a 24-hour time-lapse photography sequence; Shrinkwrap, the best way to **create** and distribute disk **images**; and InstallerMaker, the complete **installation** and **data** distribution standard. Aladdin provides computing solutions to help transmit, access and organize information.

Company: Aquent...

16/3,K/17 (Item 13 from file: 621)

DIALOG(R)File 621:Gale Group New Prod.Annou.(R)
(c) 2007 The Gale Group. All rts. reserv.

01542828 Supplier Number: 47461738 (USE FORMAT 007 FOR FULLTEXT)
Keylabs introduces ImageBlaster PRO v2.0.

Business Wire, p06130122

June 13, 1997

Language: English Record Type: Fulltext
Document Type: Newswire; Trade
Word Count: 569

... installations on any number of computers with only a few simple steps. First, the desired **software** is **installed** on a source computer. Then, a disk **image** of the source computer is **created** using ImageBlaster Pro. The **image** is then "blasted" via the network to targeted computers. Within minutes the installation is complete...

...Pro also includes a utility to automate the process of customizing Windows 95 and NT **registry** files. Once a standard image has been installed on a machine this tool can be used to modify **registry** entries such as the network address and computer name.

Other benefits of ImageBlaster Pro include...

16/3,K/18 (Item 1 from file: 16)
DIALOG(R)File 16:Gale Group PROMT(R)
(c) 2007 The Gale Group. All rts. reserv.

04408535 Supplier Number: 46467935 (USE FORMAT 7 FOR FULLTEXT)
New MarCole Registry System
HFN The Weekly Newspaper for the Home Furnishing Network, p47
June 17, 1996
Language: English Record Type: Fulltext
Document Type: Magazine/Journal; General
Word Count: 295

... item in a pattern or ensemble in high-resolution photography Items are added to the **registry** by touching the screen image and the quantity desired.

The second new self- **registry** product enables consumers to walk around the store with handheld scanners, scanning bar codes of items they want on their **registry** . It is available with both the image- or text-based systems. After the consumers have completed their scanning, the scanners electronically upload the **information** into the gift **registry** systems.

MarCole's tabletop electronic catalog offers approximately 10,000 **product images** and information. Manufacturers on MarCole's system include Denby, International Silver, Lunt Silversmiths, Noritake, Oneida...

16/3,K/19 (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

15531707 SUPPLIER NUMBER: 96810971 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Have a heart. (New Products & Services).
Health Management Technology, 24, 1, 68(1)
Jan, 2003
ISSN: 1074-4770 LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 106 LINE COUNT: 00013

TEXT:

...a healthcare enterprise. Soarian Cardiology supports cardiology workflow by providing users with supply management and **registry data** submission tools and the ability to keep track of **images produced** during examinations. The application is a true data repository for cross-cardiology modality procedures, assisting...

16/3,K/20 (Item 2 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

08969692 SUPPLIER NUMBER: 18643418 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Mass. con artists face music with aid of Viisage software. (Viisage Technology's Gallery and Image Registry face-recognition software) (Product Information)(Brief Article)
Murray, Bill
Government Computer News, v15, n20, p24(1)
August 12, 1996
DOCUMENT TYPE: Brief Article ISSN: 0738-4300 LANGUAGE: English
RECORD TYPE: Fulltext
WORD COUNT: 318 LINE COUNT: 00029

Mass. con artists face music with aid of Viisage software. (Viisage Technology's Gallery and Image Registry face-recognition software) (Product Information)(Brief Article)

16/3,K/21 (Item 3 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c)2007 The Gale Group. All rts. reserv.

08918434 SUPPLIER NUMBER: 18398861 (USE FORMAT 7 OR 9 FOR FULL TEXT)
New MarCole registry system.(Brief Article)
Kehoe, Ann-Margaret
HFN The Weekly Newspaper for the Home Furnishing Network, v70, n25, p47(1)
June 17, 1996
DOCUMENT TYPE: Brief Article LANGUAGE: English RECORD TYPE: Fulltext
WORD COUNT: 318 LINE COUNT: 00029

... item in a pattern or ensemble in high-resolution photography Items are added to the **registry** by touching the screen image and the quantity desired

The second new self- **registry** product enables consumers to walk around the store with handheld scanners, scanning bar codes of items they want on their **registry** . It is available with both the image- or text-based systems. After the consumers have completed their scanning, the scanners electronically-upload the **information** into the gift **registry** systems.

MarCole's tabletop electronic catalog offers approximately 10,000 **product images** and information. Manufacturers on MarCole's system include Denby, International Silver, Lunt Silversmiths, Noritake, Oneida...

16/3,K/22 (Item 1 from file: 15)
DIALOG(R)File 15:ABI/Inform(R)
(c) 2007 ProQuest Info&Learning. All rts. reserv.

02548492 290777131
Laptop tape
Hawkins, Robert
Computer Technology Review v23n1 PP: 30-31 Jan 2003
ISSN: 0278-9647 JRNL CODE: CTN
WORD COUNT: 1905

...TEXT: in business. The drive image will be restored exactly as it was when the backup **image** was **created** . All **applications** will be **installed** , all preferences and options will be set exactly as they were, and all data files...

...specific file types such as hidden or system files and backup and restore the windows **registry** using file level backups. File-by-file backups also offer the advantage of being able...

File 8: Ei Compendex(R) 1884-2007/Apr w3
(c) 2007 Elsevier Eng. Info. Inc.
File 35: Dissertation Abs Online 1861-2007/Mar
(c) 2007 ProQuest Info&Learning
File 65: Inside Conferences 1993-2007/Apr 25
(c) 2007 BLDSC all rts. reserv.
File 2: INSPEC 1898-2007/Apr w3
(c) 2007 Institution of Electrical Engineers
File 6: NTIS 1964-2007/Apr w4
(c) 2007 NTIS, Intl Cpyrght All Rights Res
File 144: Pascal 1973-2007/Apr w3
(c) 2007 INIST/CNRS
File 434: SciSearch(R) Cited Ref Sci 1974-1989/Dec
(c) 2006 The Thomson Corp
File 34: SciSearch(R) Cited Ref Sci 1990-2007/Apr w3
(c) 2007 The Thomson Corp
File 99: Wilson Appl. Sci & Tech Abs 1983-2007/Mar
(c) 2007 The HW Wilson Co.
File 266: FEDRIP 2007/Mar
Comp & dist by NTIS, Intl Copyright All Rights Res
File 95: TEMA-Technology & Management 1989-2007/Apr w4
(c) 2007 FIZ TECHNIK
File 56: Computer and Information Systems Abstracts 1966-2007/Apr
(c) 2007 CSA.
File 60: ANTE: Abstracts in New Tech & Engineer 1966-2007/Apr
(c) 2007 CSA.

Set	Items	Description
S1	4779	INSTALLED(5N)(APPLICATION? ? OR PROGRAM? ? OR SOFTWARE OR - FILE OR FILES)
S2	14991	(INSTALLATION OR REGISTRY)(5N)(DATA OR INFORMATION)
S3	979	INSTALLATION(5N)(LIST OR LISTING OR HISTORY OR LOG OR RECO- RD)
S4	1915048	IMAGE? ? OR IMG
S5	142	S1:S3(7N)(COPY??? OR COPIE? ? OR READ??? OR SAV???)
S6	136953	S4(5N)(CREAT??? OR CONSTRUCT??? OR BUILD??? OR BUILT OR GE- NERAT??? OR PRODUC????? OR OUTPUT???)
S7	1	S5(10N)S4
S8	9	S6(10N)S1:S3
S9	10	S7:S8
S10	6	RD (unique items)
S11	2	S5(30N)S4
S12	97	S4(7N)S1:S3
S13	66	RD (unique items)
S14	46	S13 NOT PY=2004:2007

14/TI/1 (Item 1 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Painting starlight - Novel use of space in art

14/TI/2 (Item 2 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Visual Recognition of hexagonal headed bolts by comparing ICA to Wavelets

14/TI/3 (Item 3 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: A web-based distributed image processing system

14/TI/4 (Item 4 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Optical installation for using the speckle dynamics in the study of stochastic microdisplacements

14/TI/5 (Item 5 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Automatic detection of wood-area in interior images

14/TI/6 (Item 6 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Hospital-wide PACS: 7 years experience and new development

14/TI/7 (Item 7 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Harmonic spraying of conducting liquids employing AC-DC electric fields

14/TI/8 (Item 8 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Digital imaging system for track measurements

14/TI/9 (Item 9 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: User and system interface issues in the purchase of imaging and information systems

14/TI/10 (Item 10 from file: 8)
DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Simple techniques for thematic mapping

14/TI/11 (Item 11 from file: 8)

DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Ultrastructural computerized quantitative morphometry of extracellular organelles in calcifying matrices.

14/TI/12 (Item 12 from file: 8)

DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: Strain measuring device for creep tests.

14/TI/13 (Item 13 from file: 8)

DIALOG(R)File 8:(c) 2007 Elsevier Eng. Info. Inc. All rts. reserv.

Title: 3D construction of soft tissue from MR and CT.

14/TI/14 (Item 1 from file: 35)

DIALOG(R)File 35:(c) 2007 ProQuest Info&Learning. All rts. reserv.

AN AUTOMATED, VISION-GUIDED TEATCUP ATTACHMENT SYSTEM FOR DAIRY COWS

14/TI/15 (Item 2 from file: 35)

DIALOG(R)File 35:(c) 2007 ProQuest Info&Learning. All rts. reserv.

NONLINEAR IMAGE RESTORATION USING A SEGMENTATION-ORIENTED EXPERT SYSTEM

14/TI/16 (Item 1 from file: 2)

DIALOG(R)File 2:(c) 2007 Institution of Electrical Engineers. All rts. reserv.

Title: Image fusion using MIM software via picture archiving and communication system

14/TI/17 (Item 2 from file: 2)

DIALOG(R)File 2:(c) 2007 Institution of Electrical Engineers. All rts. reserv.

Title: Research-oriented image registry for multimodal image integration

14/TI/18 (Item 3 from file: 2)

DIALOG(R)File 2:(c) 2007 Institution of Electrical Engineers. All rts. reserv.

Title: Application of computer picture archiving and communicating system (PACS) to stereotactic radiosurgery (SRS)

14/TI/19 (Item 4 from file: 2)

DIALOG(R)File 2:(c) 2007 Institution of Electrical Engineers. All rts. reserv.

Title: Adapting LANs for wide area document imaging

14/TI/20 (Item 5 from file: 2)

DIALOG(R)File 2:(c) 2007 Institution of Electrical Engineers. All rts. reserv.

Title: Advanced looking at data

14/TI/21 (Item 6 from file: 2)
DIALOG(R)File 2:(c) 2007 Institution of Electrical Engineers. All rts.
reserv.

Title: Microrecording and information reproduction with SEM

14/TI/22 (Item 7 from file: 2)
DIALOG(R)File 2:(c) 2007 Institution of Electrical Engineers. All rts.
reserv.

Title: Multi-zone videodata digital processing. Methods and technology

14/TI/23 (Item 8 from file: 2)
DIALOG(R)File 2:(c) 2007 Institution of Electrical Engineers. All rts.
reserv.

Title: Medical data processing system for ultrasound tissue characterization

14/TI/24 (Item 1 from file: 6)
DIALOG(R)File 6:(c) 2007 NTIS, Intl Cpyrght All Rights Res. All rts.
reserv.

Multiprocessor Station (MIPS)
(Final rept. Apr 96-Jan 99)

14/TI/25 (Item 2 from file: 6)
DIALOG(R)File 6:(c) 2007 NTIS, Intl Cpyrght All Rights Res. All rts.
reserv.

Automated baseline change detection -- Phases 1 and 2. Final report
(PROGRESS REPT)

14/TI/26 (Item 3 from file: 6)
DIALOG(R)File 6:(c) 2007 NTIS, Intl Cpyrght All Rights Res. All rts.
reserv.

SEQAL Definition Study: Synthetic Aperture Radar Image Quality Metrics
(Final rept. Mar 82-Feb 85)

14/TI/27 (Item 1 from file: 144)
DIALOG(R)File 144:(c) 2007 INIST/CNRS. All rts. reserv.

High speed wireless access system using 4.9 GHz band
VTC : vehicular technology conference : Vancouver BC, 24-28 september
2002

14/TI/28 (Item 2 from file: 144)
DIALOG(R)File 144:(c) 2007 INIST/CNRS. All rts. reserv.

Scalable MPEG video transmission method considering Impairments
Propagation on Home Network environment
Globecom '02 - IEEE global telecommunications conference : Taipei, 17-21
November 2002

14/TI/29 (Item 3 from file: 144)
DIALOG(R)File 144:(c) 2007 INIST/CNRS. All rts. reserv.

Topological mobile robot localization using fast vision techniques
Robotics and automation : Washington DC, 11-15 May 2002

14/TI/30 (Item 4 from file: 144)
DIALOG(R)File 144:(c) 2007 INIST/CNRS. All rts. reserv.

Qualitative modeling of indoor environments from visual landmarks and range data
2002 IEEE/RSJ international conference on intelligent robots and systems : Lausanne, 30 September - 4 October 2002

14/TI/31 (Item 5 from file: 144)
DIALOG(R)File 144:(c) 2007 INIST/CNRS. All rts. reserv.

Transforming paper documents into XML format with WISDOM++
Special Issue on Document Analysis for Office Systems (Part II)

14/TI/32 (Item 6 from file: 144)
DIALOG(R)File 144:(c) 2007 INIST/CNRS. All rts. reserv.

Evaluation of mobile mapping systems for roadway data collection

14/TI/33 (Item 7 from file: 144)
DIALOG(R)File 144:(c) 2007 INIST/CNRS. All rts. reserv.

An original correlation and data fusion based approach to detect a reapi limit into a gray level image
IROS '97 : intelligent robots and systems : Grenoble, September 7-11, 1997

14/TI/34 (Item 8 from file: 144)
DIALOG(R)File 144:(c) 2007 INIST/CNRS. All rts. reserv.

Computer assisted image analysis using the subtraction method in indocyanine green angiography

14/TI/35 (Item 1 from file: 34)
DIALOG(R)File 34:(c) 2007 The Thomson Corp. All rts. reserv.

Title: Importance of ECC-triggering for ruling out coronary calcification with the multi-slice-CT in individuals asymptomatic for ischemic CAD: Data from the MUNICH-Registry

14/TI/36 (Item 2 from file: 34)
DIALOG(R)File 34:(c) 2007 The Thomson Corp. All rts. reserv.

Title: Towards a minimum dataset in urology

14/TI/37 (Item 3 from file: 34)
DIALOG(R)File 34:(c) 2007 The Thomson Corp. All rts. reserv.

Title: ETHICAL ISSUES INVOLVED IN ESTABLISHING A REGISTRY FOR FAMILIAL ALZHEIMERS-DISEASE

14/TI/38 (Item 1 from file: 99)
DIALOG(R)File 99:(c) 2007 The HW Wilson Co. All rts. reserv.

Progress towards a worldwide digital television standard: status report on international digital broadcasting standards

14/TI/39 (Item 1 from file: 266)
DIALOG(R)File 266:Comp & dist by NTIS, Intl Copyright All Rights Res. All rts. reserv.

Differential Gel Electrophoresis (DIGE) System

14/TI/40 (Item 2 from file: 266)
DIALOG(R)File 266:Comp & dist by NTIS, Intl Copyright All Rights Res. All rts. reserv.

MULTIMODALITY RADIOLOGICAL IMAGE PROCESSING SYSTEM

14/TI/41 (Item 3 from file: 266)
DIALOG(R)File 266:Comp & dist by NTIS, Intl Copyright All Rights Res. All rts. reserv.

Microscope to Enhance Food Safety Research

14/TI/42 (Item 1 from file: 95)
DIALOG(R)File 95:(c) 2007 FIZ TECHNIK. All rts. reserv.

Video am PC. So machen Sie Ihren PC zum digitalen Videorecorder

14/TI/43 (Item 2 from file: 95)
DIALOG(R)File 95:(c) 2007 FIZ TECHNIK. All rts. reserv.

Interferometric measurement of thermally induced interface crack tip stress fields

(Interferometrische Messung von Spannungsfeldern an thermisch induzierten Risspitzen an Grenzschichten)

14/TI/44 (Item 3 from file: 95)
DIALOG(R)File 95:(c) 2007 FIZ TECHNIK. All rts. reserv.

Bloss nicht zittern. Vergleichstest: Farb-Handscanner
(Product comparison of handy scanners)

14/TI/45 (Item 1 from file: 56)
DIALOG(R)File 56:(c) 2007 CSA. All rts. reserv.

ISDN keys university net plans.

14/TI/46 (Item 2 from file: 56)
DIALOG(R)File 56:(c) 2007 CSA. All rts. reserv.

Evaluation of image restoration filtering for machine classification applications.

File 348:EUROPEAN PATENTS 1978-2007/ 200716

(c) 2007 EUROPEAN PATENT OFFICE

File 349:PCT FULLTEXT 1979-2007/UB=20070419UT=20070312

(c) 2007 WIPO/Thomson

Set	Items	Description
S1	18573	INSTALLED(5N)(APPLICATION? ? OR PROGRAM? ? OR SOFTWARE OR - FILE OR FILES)
S2	6194	(INSTALLATION OR REGISTRY)(5N)(DATA OR INFORMATION)
S3	510	INSTALLATION(5N)(LIST OR LISTING OR HISTORY OR LOG OR RECO- RD)
S4	561066	IMAGE? ? OR IMG
S5	1389	S1:S3(7N)(COPY??? OR COPIE? ? OR READ??? OR SAV???)
S6	140530	S4(5N)(CREAT??? OR CONSTRUCT??? OR BUILD??? OR BUILT OR GE- NERAT??? OR PRODUC????? OR OUTPUT???)
S7	69	S5(10N)S4
S8	36	S7 AND PY=1978:2003
S9	20	S7 AND AC=US/PR AND AY=(1978:2003)/PR
S10	20	S7 AND AC=US AND AY=1978:2003
S11	20	S7 AND AC=US AND AY=(1978:2003)/PR
S12	40	S8:S11
S13	40	IDPAT (sorted in duplicate/non-duplicate order)
S14	125	S6(10N)S1:S3
S15	116	S14 NOT S7
S16	67	S15 AND PY=1978:2003
S17	39	S15 AND AC=US/PR AND AY=(1978:2003)/PR
S18	39	S15 AND AC=US AND AY=1978:2003
S19	39	S15 AND AC=US AND AY=(1978:2003)/PR
S20	77	S16:S19
S21	77	IDPAT (sorted in duplicate/non-duplicate order)

13/3,K/4 (Item 4 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01676658

IMAGE DISPLAY PROGRAM AND INFORMATION RECORDING MEDIUM CONTAINING THE PROGRAM

BILDANZEIGEPROGRAMM UND DAS PROGRAMM ENTHALTENDES INFORMATIONSAUFZEICHNUNGS MEDIUM

PROGRAMME D'AFFICHAGE D'IMAGE ET SUPPORT D'ENREGISTREMENT D'INFORMATION CONTENANT CE PROGRAMME

PATENT ASSIGNEE:

KONICA CORPORATION, (206979), 26-2, Nishishinjuku 1-chome, Shinjuku-ku, Tokyo 163-0512, (JP), (Applicant designated States: all)

INVENTOR:

UEDA, Yutaka, Konica Photo Imaging Corp., 1, Sakura-machi, Hino-shi, Tokyo 191-8511, (JP)

LEGAL REPRESENTATIVE:

Henkel, Feiler & Hanzel (100401), Mohlstrasse 37, 81675 Munchen, (DE)

PATENT (CC, No, Kind, Date): EP 1498898 A1 050119 (Basic)

WO 2003092005 031106

APPLICATION (CC, No, Date): EP 2003720910 030416; WO 2003JP4826 030416

PRIORITY (CC, No, Date): JP 2002120400 020423

DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR; HU; IE; IT; LI; LU; MC; NL; PT; RO; SE; SI; SK; TR

EXTENDED DESIGNATED STATES: AL; LT; LV; MK

INTERNATIONAL PATENT CLASS (V7): G11B-027/00; G11B-027/10; G06F-017/30;

G06F-012/00; H04N-005/91

ABSTRACT WORD COUNT: 57

NOTE:

Figure number on first page: 4

LANGUAGE (Publication,Procedural,Application): English; English; Japanese

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200503	1200
SPEC A	(English)	200503	6790
Total word count - document A			7990
Total word count - document B			0
Total word count - documents A + B			7990

...SPECIFICATION digital data by performing index display or slide display upon reading application software in which **image** data **read** from photographic film strips are **installed** in a personal computer, or **application** software written on information recording media.

Generally, application software such as image display software or...

13/3,K/7 (Item 7 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01560809

Image processing method and apparatus

Bildverarbeitungsverfahren und Gerat

Procede et appareil de traitement d'images

PATENT ASSIGNEE:

FUJI PHOTO FILM CO., LTD., (202400), 210 Nakanuma Minami-Ashigara-shi, Kanagawa 250-01, (JP), (Applicant designated States: all)

INVENTOR:

Katayama, Takeshi, Fuji Photo Film Co., Ltd., 798 Miyanodai, Kaisei-machi, Ashigarakami-gun, Kanagawa-ken, (JP)

Takemoto, Fumito, Fuji Photo Film Co., Ltd., 798 Miyanodai, Kaisei-machi, Ashigarakami-gun, Kanagawa-ken, (JP)

Seto, Satoshi, Fuji Photo Film Co., Ltd., 798 Miyanodai, Kaisei-machi,

Ashigarakami-gun, Kanagawa-ken, (JP)
 LEGAL REPRESENTATIVE:
 Klunker . Schmitt-Nilson . Hirsch (101001), winzererstrasse 106, 80797
 Munchen, (DE)
 PATENT (CC, No, Kind, Date): EP 1298585 A2 030402 (Basic)
 EP 1298585 A3 050622
 APPLICATION (CC, No, Date): EP 2002021792 020926;
 PRIORITY (CC, No, Date): JP 2001298198 010927
 DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR;
 IE; IT; LI; LU; MC; NL; PT; SE; SK; TR
 EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
 INTERNATIONAL PATENT CLASS (V7): G06T-001/00
 ABSTRACT WORD COUNT: 117
 NOTE:
 Figure number on first page: NONE

LANGUAGE (Publication,Procedural,Application): English; English; English
 FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200314	2035
SPEC A	(English)	200314	12590
Total word count - document A			14625
Total word count - document B			0
Total word count - documents A + B			14625

...SPECIFICATION image data obtained by a digital camera on a monitor or by a printer. Such image processing methods are generally carried out by image processing software installed in a personal computer . A user copies image data from a recording medium for a digital camera in a predetermined folder in a...

13/3,K/8 (Item 8 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS
 (c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01492295

MAGE PROCESSOR, IMAGE PROCESSING METHOD, RECORDING MEDIUM AND PROGRAM
BILDPROZESSOR, BILDVERARBEITUNGSVERFAHREN, AUFZEICHNUNGSMEDIUM UND PROGRAMM
DISPOSITIF ET PROCEDE DE TRAITEMENT D'IMAGES, SUPPORT D'ENREGISTREMENT ET
PROGRAMME

PATENT ASSIGNEE:

Katayama, Eisaku, (4141730), 15-24, Kamirenjaku 4-chome, Mitaka-shi,
 Tokyo 181-0015, (JP), (Applicant designated States: all)
 Baba, Norio, (4141740), Casa Serena 202, 7-11, Nakane 1-chome, Meguro-ku,
 Tokyo 152-0031, (JP), (Applicant designated States: all)
 Center for Advanced Science and Technology Incubation, Ltd., (2975392),
 Shinmarunouchi Building, 6th Floor, 5-1 Marunouchi 1-chome, Chiyoda-ku,
 Tokyo 100-0005, (JP), (Applicant designated States: all)

INVENTOR:

Katayama, Eisaku, 15-24, Kamirenjaku 4-chome, Miataka-shi Tokyo 181-0015,
 (JP)
 Baba, Norio, Casa Serena 202, 7-11, Nakane 1-chome, Meguro-ku, Tokyo
 152-0031, (JP)

LEGAL REPRESENTATIVE:

Weihs, Bruno (94362), Rosenthal & Osha, 121, avenue des Champs Elysees,
 75008 Paris, (FR)

PATENT (CC, No, Kind, Date): EP 1353294 A1 031015 (Basic)
 WO 2002048961 020620

APPLICATION (CC, No, Date): EP 2001270859 011210; WO 2001JP10777 011210

PRIORITY (CC, No, Date): JP 2000381636 001215; JP 2001120262 010418

DESIGNATED STATES: DE; FR; GB

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS (V7): G06T-001/00; G01N-023/04

ABSTRACT WORD COUNT: 183

NOTE:

Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200342	1748
SPEC A	(English)	200342	6958
Total word count - document A			8706
Total word count - document B			0
Total word count - documents A + B			8706

...SPECIFICATION from CD-ROM 622 which has a program which realizes each functional unit of the **image** processing apparatus 200 mentioned above the **program** concerned is **read** and **installed** to the hard disk 618 in advance, and the functional unit of the above-mentioned...

13/3,K/9 (Item 9 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01457770

INFORMATION PROVIDING DEVICE

INFORMATIONSBEREITSTELLUNGSEINRICHTUNG

DISPOSITIF FOURNISSANT DES DONNEES

PATENT ASSIGNEE:

Sony Corporation, (214028), 7-35, Kitashinagawa 6-chome, Shinagawa-ku, Tokyo 141-0001, (JP), (Applicant designated States: all)

INVENTOR:

SEIMIYA, Hiroshi, CyberGene.com Corporation, 7-35, Kitashinagawa 4-chome, Shinagawa-ku, Tokyo 140-0001, (JP)

LEGAL REPRESENTATIVE:

Pilch, Adam John Michael et al (50481), D. YOUNG & CO., 21 New Fetter Lane, London EC4A 1DA, (GB)

PATENT (CC, No, Kind, Date): EP 1357474 A1 031029 (Basic)
WO 2002061585 020808

APPLICATION (CC, No, Date): EP 2002711268 020131; WO 2002JP800 020131

PRIORITY (CC, No, Date): JP 200123789 010131; JP 200159099 010302

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE; TR

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS (V7): G06F-012/00; G06F-013/00; G06F-017/30

ABSTRACT WORD COUNT: 109

NOTE:

Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200344	1835
SPEC A	(English)	200344	13284
Total word count - document A			15119
Total word count - document B			0
Total word count - documents A + B			15119

...SPECIFICATION and related information before distribution to the portable terminal, so that content of the information **image** can be **read** even if special **software** is not **installed** on the portable terminal.

Accordingly, an information **image** that has once been obtained by the information terminal can be re-obtained by the...

13/3,K/13 (Item 13 from file: 348)

Kyoto 616-8025, (JP)
 TANIGUCHI, Keitato, Omron Corporation, 10, Tsuchido-cho, Hanazono,
 Ukyo-ku, Kyoto 616-8025, (JP)
 KAKIUCHI, Takashi, Omron Corporation, 10, Tsuchido-cho, Hanazono,
 Ukyo-ku, Kyoto 616-8025, (JP)
 LEGAL REPRESENTATIVE:
 Kack, Jurgen et al (93671), Kahler Kack Mollekopf Vorderer Anger 239,
 86899 Landsberg, (DE)
 PATENT (CC, No, Kind, Date): EP 1048987 A2 001102 (Basic)
 EP 1048987 A3 011212
 APPLICATION (CC, No, Date): EP 2000109076 000502;
 PRIORITY (CC, No, Date): JP 99123528 990430
 DESIGNATED STATES: DE; FR; GB; IT
 EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
 INTERNATIONAL PATENT CLASS (V7): G03G-021/04; H04N-001/00
 ABSTRACT WORD COUNT: 133
 NOTE:
 Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
 FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200044	306
SPEC A	(English)	200044	7708
Total word count - document A			8014
Total word count - document B			0
Total word count - documents A + B			8014

...SPECIFICATION external storage device. At the time the data are taken in or after they are read out of the storage device, an application installed in personal computer 20 which can process image data executes the specified image processing or modification processing. The image data are then output...

13/3,K/16 (Item 16 from file: 348)
 DIALOG(R)File 348:EUROPEAN PATENTS
 (c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

00981688

Image communication system and method
System und Verfahren zur Bildubertragung
Systeme et procede de communication d'images

PATENT ASSIGNEE:

FUJI PHOTO FILM CO., LTD., (202408), 210 Nakanuma Minami-Ashigara-shi,
 Kanagawa-ken, (JP), (Proprietor designated states: all)

INVENTOR:

Shiimori, Yoshiko, c/o Fuji Photo Film Co., Ltd., 3-11-46, Sensui,
 Asaka-shi, Saitama, (JP)

Ohta, Yoshinori, c/o Fuji Photo Film Co., Ltd., 3-11-46, Sensui,
 Asaka-shi, Saitama, (JP)

Sakamoto, Koichi, c/o Fuji Photo Film Co., Ltd., 3-11-46, Sensui,
 Asaka-shi, Saitama, (JP)

Haneda, Norihisa, c/o Fuji Photo Film Co., Ltd., 3-11-46, Sensui,
 Asaka-shi, Saitama, (JP)

Nakajima, Nobuyoshi, c/o Fuji Photo Film Co., Ltd., 798, Miyanodai,
 Kaisei-machi, Ashigara-kami-gun, Kanagawa 258-0023, (JP)

LEGAL REPRESENTATIVE:

Jeffrey, Philip Michael (88751), Frank B. Dehn & Co. 179 Queen Victoria
 Street, London EC4V 4EL, (GB)

PATENT (CC, No, Kind, Date): EP 889636 A2 990107 (Basic)
 EP 889636 A3 991020
 EP 889636 B1 050824

APPLICATION (CC, No, Date): EP 98305209 980630;
 PRIORITY (CC, No, Date): JP 97188998 970630; JP 97188999 970630; JP

DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01233088

Customer terminal apparatus, its system, image saving system, and recording medium which records that program
Kundenterminal, dazugehöriges System, Bildspeichersystem, und Speichermedium für das Programm
Terminal pour clients, système associé, système de stockage d'images, et médium de stockage pour le programme

PATENT ASSIGNEE:

Casio Computer Co., Ltd., (249366), 6-2, Hon-machi 1-chome, Shibuya-ku, Tokyo, (JP), (Applicant designated States: all)

INVENTOR:

Mizuno, Kimiyasu, Casio Computer Co., Ltd., 3-2-1, Sakae-cho, Hamura-shi, Tokyo 205-8555, (JP)

Kasahara, Takeshi, Casio Computer Co., Ltd., 3-2-1, Sakae-cho, Hamura-shi, Tokyo 205-8555, (JP)

Takahashi, Hiroki, Casio Computer Co., Ltd., 3-2-1, Sakae-cho, Hamura-shi, Tokyo 205-8555, (JP)

LEGAL REPRESENTATIVE:

Grunecker, Kinkeldey, Stockmair & Schwanhauser Anwaltssozietat (100721), Maximilianstrasse 58, 80538 München, (DE)

PATENT (CC, No, Kind, Date): EP 1069519 A2 010117 (Basic)
EP 1069519 A3 040414

APPLICATION (CC, No, Date): EP 2000113593 000627;

PRIORITY (CC, No, Date): JP 99202431 990716; JP 99208825 990723

DESIGNATED STATES: DE; FR; GB; IT

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS (V7): G06F-017/60

ABSTRACT WORD COUNT: 147

NOTE:

Figure number on first page: 2

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200103	1185
SPEC A	(English)	200103	9053
Total word count - document A			10238
Total word count - document B			0
Total word count - documents A + B			10238

...SPECIFICATION copies by himself or herself and sends them via mail.

In the above embodiment, the **image saving** system operates according to **programs installed** in advance in the terminal apparatus 1 shown in FIG. 1, and the terminal management...

13/3,K/14 (Item 14 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01205806

Image processing device and image input device equipped with a data synthesizing unit
Bildverarbeitungsvorrichtung und mit einer Einheit zur Datensynthese vorgesehenen Bildeingabevorrichtung
Dispositif de traitement d'images et dispositif d'acquisition d'images equipe d'une unite de synthese des donnees

PATENT ASSIGNEE:

OMRON CORPORATION, (284765), 10, Tsuchido-cho Hanazono Ukyo-ku, Kyoto-shi, Kyoto 616-8025, (JP), (Applicant designated States: all)

INVENTOR:

HIRAISHI, Junji, Omron Corporation, 10, Tsuchido-cho, Hanazono, Ukyo-ku,

97282648 970930; JP 98135912 980501
DESIGNATED STATES: DE; FR; GB; IT; NL; SE
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS (V7): H04N-001/32; H04L-029/06; G06F-017/60
ABSTRACT WORD COUNT: 26767
NOTE:

Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	199901	4783
CLAIMS B	(English)	200534	291
CLAIMS B	(German)	200534	255
CLAIMS B	(French)	200534	282
SPEC A	(English)	199901	29393
SPEC B	(English)	200534	25336
Total word count - document A			34182
Total word count - document B			26164
Total word count - documents A + B			60346

...SPECIFICATION of a hard disk (not shown) to and from which data can be written and read by the HD drive 94 (this execution program is installed in the client computer 40 and stored in the hard disk by loading a CD-ROM storing the program into the CD-ROM drive 79...

13/3,K/22 (Item 22 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

00431884

Backup and recovery apparatus for digital computer

Gerat zur Sicherung und wiederherstellung fur Digitalrechner

Dispositif de sauvegarde et de restauration pour calculateur numerique

PATENT ASSIGNEE:

International Business Machines Corporation, (200120), Old Orchard Road, Armonk, N.Y. 10504, (US), (applicant designated states: DE;FR;GB)

INVENTOR:

Myers, James Joseph, 950 Columbus Avenue No. 6, San Francisco, CA 94133, (US)

Wang, Pon Sheng, 741 Mairwood Court, San Jose, CA 95120, (US)

LEGAL REPRESENTATIVE:

Burt, Roger James, Dr. (52152), IBM United Kingdom Limited Intellectual Property Department Hursley Park, Winchester Hampshire SO21 2JN, (GB)

PATENT (CC, No, Kind, Date): EP 410630 A2 910130 (Basic)

EP 410630 A3 920325

EP 410630 B1 960228

APPLICATION (CC, No, Date): EP 90307839 900718;

PRIORITY (CC, No, Date): US 385647 890725

DESIGNATED STATES: DE; FR; GB

INTERNATIONAL PATENT CLASS (V7): G06F-011/14;

ABSTRACT WORD COUNT: 85

LANGUAGE (Publication,Procedural,Application): English; English; English
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	EPABF1	624
CLAIMS B	(English)	EPAB96	457
CLAIMS B	(German)	EPAB96	487
CLAIMS B	(French)	EPAB96	557
SPEC A	(English)	EPABF1	3355
SPEC B	(English)	EPAB96	3417
Total word count - document A			3979
Total word count - document B			4918

Total word count - documents A + B 8897

...SPECIFICATION the normal storage management task for setting up the backup/recovery policy in a computer **installation**. The **information** obtained in this step is **saved** for backup processing during the backup cycle: (see **image** in original document) (see image in original document)

Step 2

During the backup cycle, the...

...SPECIFICATION the normal storage management task for setting up the backup/recovery policy in a computer **installation**. The **information** obtained in this step is **saved** for backup processing during the backup cycle: (see **image** in original document) (see image in original document)

Step 2

During the backup cycle, the...

13/3,K/32 (Item 32 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rts. reserv.

00763294 **Image available**

METHOD FOR DOWNLOADING CONTROL SOFTWARE

TELECHARGEMENT D'UNE IMAGE LOGICIELLE DANS UNE UNITE DE COMMANDE DE GESTION INTRABANDE

Patent Applicant/Assignee:

FUJITSU NETWORK COMMUNICATIONS INC, 2801 Telecom Parkway, Richardson, TX 75082, US, US (Residence), US (Nationality)

Inventor(s):

TROTTA Joseph G, 7505 Paul Calle Court, Plano, TX 75025, US,
HOLT Jeffrey, 702 Athens Court, Allen, TX 75013, US,
CLOUTHIER Terry A, 3313 Belmont Court, McKinney, TX 75070, US,
CHANG Ted D, 3505 Birchwood Lane, Richardson, TX 75082, US,

Legal Representative:

LEBOVICI Victor B (et al) (agent), Weingarten, Schurgin, Gagnebin & Hayes LLP, Ten Post Office Square, Boston, MA 02109, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200076167 A2-A3 **20001214** (WO 0076167)

Application: WO 2000US15250 20000602 (PCT/WO US0015250)

Priority Application: US 99325151 19990603

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM EE ES FI GB
GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA
MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA
UG UZ VN YU ZA ZW

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE

(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext word Count: 15045

Patent and Priority Information (Country, Number, Date):

Patent: ... **20001214**

Fulltext Availability:

Detailed Description

Publication Year: **2000**

Detailed Description

... in the device, and
for any ATM processor associated with an ATM switch
fabric unit **installed** in the device. A received
software image for the MCU itself is **copied** from the
FLASH disk 504 to the standby RAM 516 and then to the
active...

13/3,K/36 (Item 36 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rts. reserv.

00745463 **Image available**

SOFTWARE INSTALLATION AND RECOVERY SYSTEM

SYSTEME D'INSTALLATION DE LOGICIEL ET DE REPRISE SUR ERREUR

Patent Applicant/Assignee:

TIVO INC, Suite 100, 894 Ross Drive, Sunnyvale, CA 94089, US, US
(Residence), US (Nationality)

Inventor(s):

BARTON James M, 101 Sund Avenue, Los Gatos, CA 95030, US
PLATT David C, 323 Aldean Avenue, Mountain View, CA 94043, US
STONE Steven C, 1011 Zinfandel Court, Pleasanton, CA 94566, US

Legal Representative:

GLENN Michael A, Glenn Patent Group, Suite L, 3475 Edison Way, Menlo
Park, CA 94025, US

Patent and Priority Information (Country, Number, Date):

Patent: WO 200058834 A1 **20001005** (WO 0058834)

Application: WO 2000US6216 20000309 (PCT/WO US0006216)

Priority Application: US 99127178 19990330; US 99422034 19991020

Designated States:

(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)

AL AM AT AU AZ BA BB BG BR BY CA CH CN CU CZ DE DK EE ES FI GB GD GE GH
GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MD MG MK MN
MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT UA UG UZ VN YU ZA
ZW

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE

(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG

(AP) GH GM KE LS MW SD SL SZ TZ UG ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 15330

Patent and Priority Information (Country, Number, Date):

Patent: ... **20001005**

Fulltext Availability:

Detailed Description

Publication Year: **2000**

Detailed Description

... initial application, along with the source partition information from
the previous loads.

When a new **software image** is **installed**, the new **image** is first
copied into the appropriate backup partition and an indication is made
in the database that a...

21/3,K/10 (Item 10 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01115901

SOFTWARE DISTRIBUTION USING IMAGE BUILDER
SOFTWAREVERTEILUNG DURCH EINEN ABBILDUNGSBAUER
DISTRIBUTION DE LOGICIELS PAR CONSTRUCTEUR D'IMAGES

PATENT ASSIGNEE:

Gateway, Inc., (2276514), 610 Gateway Drive, P.O. Box 2000, North Sioux City, SD 57049-2000, (US), (Proprietor designated states: all)

INVENTOR:

KROENING, James, L., 256 Firethorn Trail, Dakota Dunes, SD 57049, (US)

FANGMAN, Darrin, J., 8 Martha Street, McCook, SD 57049, (US)

MARSHALL, James, J., P.O. Box 332, Jefferson, SD 57038, (US)

PEASLEY, Richard, 703 East Clay Street, Elk Point, SD 57025, (US)

LEGAL REPRESENTATIVE:

Beresford, Keith Denis Lewis et al (28273), BERESFORD & Co. 2-5 Warwick Court, High Holborn, London WC1R 5DH, (GB)

PATENT (CC, No, Kind, Date): EP 1097418 A1 010509 (Basic)

EP 1097418 B1 021002

WO 99063434 991209

APPLICATION (CC, No, Date): EP 99918523 990413; WO 99US8095 990413

PRIORITY (CC, No, Date): US 90118 980604

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI; LU; MC; NL; PT; SE

INTERNATIONAL PATENT CLASS (V7): G06F-009/44

NOTE:

No A-document published by EPO

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS B	(English)	200240	1920
CLAIMS B	(German)	200240	1614
CLAIMS B	(French)	200240	2089
SPEC B	(English)	200240	4249
Total word count - document A			0
Total word count - document B			9872
Total word count - documents A + B			9872

...SPECIFICATION a system and method of creating and delivering software to the computer systems using an **image builder** .

Background of the Invention

When **software** is **installed** on a hard drive of a personal computer, the hard drive must first be initialized...to create a new baseline for every image that is to be delivered. Furthermore, the **image builder** 20 contains editors that determine, for example, proper **registry** settings and also add directory **information** corresponding to installed applications and their file locations. An added benefit of layering information on...

21/3,K/13 (Item 13 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01832938

Software image creation in a distributed build environment
Herstellung eines Software-images in einer verteilten Produktionsumgebung
Creation d'une image logicielle dans un environnement de production distribue

PATENT ASSIGNEE:

MICROSOFT CORPORATION, (749861), One Microsoft Way, Redmond, Washington 98052-6399, (US), (Applicant designated States: all)

INVENTOR:

Lodwick, Stephen, 25856 175th Place SE, Covington, Washington 98042, (US)
Cohen, Jason, 16439 48th Avenue S, Seatac, Washington 98188, (US)
Burkhardt, Ryan, 22590 NE 99th Way, Redmond, Washington 98053, (US)

LEGAL REPRESENTATIVE:

Grunecker, Kinkeldey, Stockmair & Schwanhauser Anwaltssozietat (100721),
Maximilianstrasse 58, 80538 Munchen, (DE)

PATENT (CC, No, Kind, Date): EP 1492001 A2 041229 (Basic)
EP 1492001 A3 070124

APPLICATION (CC, No, Date): EP 2004011694 040517;

PRIORITY (CC, No, Date): US 603294 030624

DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR;
HU; IE; IT; LI; LU; MC; NL; PL; PT; RO; SE; SI; SK; TR

EXTENDED DESIGNATED STATES: AL; HR; LT; LV; MK

INTERNATIONAL PATENT CLASS (V7): G06F-009/445

INTERNATIONAL CLASSIFICATION (V8 + ATTRIBUTES):

IPC + Level Value Position Status Version Action Source Office:
G06F-0009/445 A I F B 20060101 20041018 H EP

ABSTRACT WORD COUNT: 79

NOTE:

Figure number on first page: 2

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200453	686
SPEC A	(English)	200453	6134
Total word count - document A			6821
Total word count - document B			0
Total word count - documents A + B			6821

...SPECIFICATION computers do not create a final product. Further, such systems are not related to the **creation** of an **installed software image**.

Accordingly, a system for a distributed **build** environment for software **images** is desired to address one or more of these and other disadvantages.

SUMMARY OF THE...

...computer maintains a list of jobs. Each of the jobs has an operation associated with **creation** of an **installed software image**. The second computer accepts one of the jobs from the first computer and executes the...

...method operates in a distributed build environment in which one or more first computers delegate **creation** of an **installed software image** to a second computer. The method performed by the second computer includes accepting a job from one of the first computers. The job has an operation associated with the **creation** of an **installed a software image**. The method also includes completing the accepted job by performing the operation. The completed job...

...invention, a method operates in a distributed build environment in which a first computer delegates **creation** of an **installed software image** to one or more second computers. The method performed by the first computer includes maintaining a list of jobs. Each of the jobs is related to **creation** of an **installed software image**. Each of the second computers selects one or more of the jobs and performs the...

...a data structure exists in a distributed build environment in which a first computer delegates **creation** of an **installed software image** to a second computer. The data structure represents a status associated with installation of a...

- ...a data structure exists in a distributed build environment in which a first computer delegates **creation** of an **installed software image** to a second computer. The data structure is stored on the first computer. The data...
- ...of the invention, a system provides a distributed build in which a first computer delegates **creation** of an **installed software image** to a second computer. The system includes a list means for the first computer, an...
- ...The list means maintains a list of jobs. Each of the jobs is related to **creation** of an **installed software image**. The interface means accepts one of the jobs maintained by the first computer via the...
- ...of client computers 52 such as client X, client Y, and client Z to delegate **creation** of an **installed software image** in the distributed build environment. Each of the server computers 51 acts as a first computer operating to maintain...
- ...list of jobs. Each of the jobs relates to at least one operation associated with **creation** of an **installed software image**. For example, there may be one job per software product and multiple jobs per server...
- ...and maintaining a list of jobs at 502. Each of the jobs is related to **creation** of an **installed software image** (e.g., installing and configuring a software image). The server computer posts the maintained list...
- ...CLAIMS computer maintaining a list of jobs, each of said jobs having an operation associated with **creation** of an **installed software image** ;
a second computer accepting one of the jobs from the first computer and executing the...
- ...a job from one of the first computers, said job having an operation associated with **creation** of an **installed software image** ; and completing the accepted job by performing the operation, wherein the completed job represents the...
- ...16. A data structure in a distributed build environment in which a first computer delegates **creation** of an **installed software image** to a second computer, said data structure being stored on the first computer, said data...
- ...of operations associated with the job identifier to be performed by the second computer to **create** an **installed software image**.
- 17. The data structure of claim 16, wherein each of the jobs has a priority...
- ...software image.
- 19. A system for a distributed build in which a first computer delegates **creation** of an **installed software image** to a second computer, said system comprising:
 - a list means for the first computer to maintain a list of jobs, each of said jobs being related to **creation** of an **installed software image** ;
 - an interface means for the second computer to accept one of the jobs maintained by the first computer via the list means, said job having an operation associated with the **creation** of an **installed software image** ; and
 - an install means for the second computer to complete the job accepted via the...

(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01634526

Build to order personal computer manufacturing fast boot method
Schnelles Umladungsverfahren für Personalrechnerherstellung auf Bestellung
Methode rapide d'amorçage pour fabrication sur commande d'ordinateurs
personnels

PATENT ASSIGNEE:

Gateway, Inc., (2999321), 610 Gateway Drive, North Sioux City, South
Dakota 57049, (US), (Applicant designated States: all)

INVENTOR:

Kroening, James L., 802 East Saint Andrews, Dakota Dunes, SD 57049, (US)

LEGAL REPRESENTATIVE:

Viering, Jentschura & Partner (100646), Steinsdorfstrasse 6, 80538
München, (DE)

PATENT (CC, No, Kind, Date): EP 1347378 A2 030924 (Basic)

APPLICATION (CC, No, Date): EP 2003006148 030318;

PRIORITY (CC, No, Date): US 101682 020319

DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR;
HU; IE; IT; LI; LU; MC; NL; PT; RO; SE; SI; SK; TR

EXTENDED DESIGNATED STATES: AL; LT; LV; MK

INTERNATIONAL PATENT CLASS (V7): G06F-009/445

ABSTRACT WORD COUNT: 79

NOTE:

Figure number on first page: 5

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200339	700
SPEC A	(English)	200339	4245
Total word count - document A			4945
Total word count - document B			0
Total word count - documents A + B			4945

...SPECIFICATION to create a new baseline for every image that is to be
delivered. Furthermore, the **image builder** 20 contains editors that
determine, for example, proper **registry** settings and also add directory
information corresponding to installed applications and their file
locations. An added benefit of layering information on...

21/3,K/19 (Item 19 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01548736

System and method to automate the management of computer services and
programmable devices

System und Verfahren um die Verwaltung von Rechnerdiensten und
programmierbaren Geräten zu automatisieren

Système et procédé pour automatiser la gestion de services d'ordinateurs et
de dispositifs programmables

PATENT ASSIGNEE:

MICROSOFT CORPORATION, (749866), One Microsoft way, Redmond, WA 98052,
(US), (Applicant designated States: all)

INVENTOR:

Westerinen, W. Jeff, 22800 270th Ct. Sammamish, Washington 98075, (US)

Benton, James R., 8911 2nd Avenue NE, Seattle, Washington 98115, (US)

Karki, Mukesh, 4067 240th Place SE, Issaquah, Washington 98034, (US)

Morin, Alan R., 11720 114th Place NE, Kirkland, Washington 98034, (US)

Pedrizetti, Raymond D., 4101 East Lake Sammamish Pky SE,

Sammamish, Washington 98075, (US)

Phillips, Thomas C., 13328 NE 55th Place, Bellevue, Washington 98005, (US)

Raghaven, Kartik N., 201 Galer Street, Apt. No. 511, Seattle, Washington

98109, (US)
 Sutton, Paul, 1808 Bellevue Avenue No. 503, Seattle, Washington 98122,
 (US)
 Steeb, Curt, 16331 NE 46th Street, Redmond, WA 98052, (US)
 LEGAL REPRESENTATIVE:
 Grunecker, Kinkeldey, Stockmair & Schwanhauser Anwaltssozietat (100721),
 Maximilianstrasse 58, 80538 Munchen, (DE)
 PATENT (CC, No, Kind, Date): EP 1288797 A2 030305 (Basic)
 EP 1288797 A3 060906
 APPLICATION (CC, No, Date): EP 2002018245 020821;
 PRIORITY (CC, No, Date): US 314785 P 010824; US 128062 020423
 DESIGNATED STATES: AT; BE; BG; CH; CY; CZ; DE; DK; EE; ES; FI; FR; GB; GR;
 IE; IT; LI; LU; MC; NL; PT; SE; SK; TR
 EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
 INTERNATIONAL PATENT CLASS (V7): G06F-017/30
 INTERNATIONAL CLASSIFICATION (V8 + ATTRIBUTES):
 IPC + Level Value Position Status Version Action Source Office:
 G06F-0017/30 A I F B 20060101 20021217 H EP
 ABSTRACT WORD COUNT: 89
 NOTE:
 Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English
 FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200310	2404
SPEC A	(English)	200310	7973
Total word count - document A			10379
Total word count - document B			0
Total word count - documents A + B			10379

...SPECIFICATION program, operating system, data, or combination of
 programs, operating systems and data.
 If a new **image** is to be **created** (step 302), an operating system and
applications, if any, are **installed** on a reference system (step 304).
 The reference system is a programmable device that is...

21/3,K/20 (Item 20 from file: 348)
 DIALOG(R)File 348:EUROPEAN PATENTS
 (c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01478251

INFORMATION REGISTRATION ASSISTING SYSTEM
INFORMATIONREGISTRATIONSUNTERSTUTZUNGSSYSTEM
SYSTEME D'AIDE A L'ENREGISTREMENT D'INFORMATIONS

PATENT ASSIGNEE:

Cybozu, Inc., (4100750), 18F., Kouraku Mori Bldg., 4-14, Kouraku 1-chome,
 Bunkyo-ku, Tokyo 112-0004, (JP), (Applicant designated States: all)

INVENTOR:

AKAMATSU, Yosuke Cybozu, Inc., 18F., Kouraku Mori Bldg. 1-4-14, Kouraku,
 Bunkyo-ku Tokyo 112-0004, (JP)

TAKASUKA, Toru Cybozu, Inc., 18F., Kouraku Mori Bldg. 1-4-14, Kouraku,
 Bunkyo-ku Tokyo 112-0004, (JP)

LEGAL REPRESENTATIVE:

Pluckrose, Anthony William et al (73191), BOULT WADE TENNANT, Verulam
 Gardens 70 Gray's Inn Road, London WC1X 8BT, (GB)

PATENT (CC, No, Kind, Date): EP 1333385 A1 030806 (Basic)
 WO 2002037329 020510

APPLICATION (CC, No, Date): EP 2001978869 011024; WO 2001JP9318 011024

PRIORITY (CC, No, Date): JP 2000333422 001031

DESIGNATED STATES: DE; FR; GB

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS (V7): G06F-017/30; G06F-013/00; G06F-012/00

ABSTRACT WORD COUNT: 144

NOTE:

Figure number on first page: 01

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200332	1013
SPEC A	(English)	200332	7079
Total word count - document A			8092
Total word count - document B			0
Total word count - documents A + B			8092

...SPECIFICATION on the business advertisement page of Fig. 20. This indicates that an execution result of "image.cgi", a CGI program for generation of an image installed in the business information server 28 should be displayed as a link button on the...

21/3,K/23 (Item 23 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01468043

CREATION OF IMAGE FILE

ERZEUGUNG EINER BILDDATEI

CREATION D'UN FICHER D'IMAGES

PATENT ASSIGNEE:

SEIKO EPSON CORPORATION, (730004), 4-1, Nishishinjuku 2-chome,
Shinjuku-ku, Tokyo 163-0811, (JP), (Applicant designated States: all)

INVENTOR:

NAKAJIMA, Yasumasa, c/o SEIKO EPSON CORPORATION, 3-5, Owa 3-chome,
Suwa-shi, Nagano 392-8502, (JP)

LEGAL REPRESENTATIVE:

Winter, Brandl, Furniss, Hubner, Ross, Kaiser, Polte Partnerschaft
(100051), Patent- und Rechtsanwaltskanzlei Alois-Steinecker-Strasse 22,
85354 Freising, (DE)

PATENT (CC, No, Kind, Date): EP 1367826 A1 031203 (Basic)

WO 2002065766 020822

APPLICATION (CC, No, Date): EP 2002711395 020207; WO 2002JP1058 020207

PRIORITY (CC, No, Date): JP 200134522 010209; JP 2001185190 010619

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
LU; MC; NL; PT; SE; TR

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS (V7): H04N-005/91; H04N-005/76; H04N-005/225;

H04N-009/79; H04N-001/40; G06F-003/12

ABSTRACT WORD COUNT: 115

NOTE:

Figure number on first page: 0001

LANGUAGE (Publication,Procedural,Application): English; English; Japanese
FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200349	888
SPEC A	(English)	200349	7143
Total word count - document A			8031
Total word count - document B			0
Total word count - documents A + B			8031

...SPECIFICATION one of which has been encrypted in advance. This ensures the confidentiality regarding the additional data without installation of the encryption module in the image file generation apparatus. A diversity of data may be included in the additional data in the present...

21/3,K/26 (Item 26 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01440298

Efficient data transfer during computing system manufacturing and installation

Effiziente Datenübertragung während der Herstellung und Installation eines Rechnersystems

Transfert de données efficace pendant la fabrication et l'initialisation de systèmes d'ordinateur

PATENT ASSIGNEE:

Hewlett-Packard Company, (206030), 3000 Hanover Street, Palo Alto, California 94304-1112, (US), (Applicant designated States: all)

INVENTOR:

Evans, Tracy J., 538 SW 4th Avenue, Albany, OR 97321, (US)
Magnuson, Dale R., 888 NW Lawnridge Street, Albany, OR 97321, (US)
Whiteside, Derek J., 1510 Takena Street, Albany, OR 97321, (US)
Wechsler, Susan L., 1820 NE Vine Avenue, Corvallis, OR 97330, (US)
Lang, Tracy A., 3005 NW Ashwood Drive, Corvallis, OR 97330, (US)
Hollon, Richard Jr., 5110 Wintercreek Drive, Corvallis, OR 97330, (US)
Severns, Daniel L., 6000 Chevry Street, Independence, OR 97351, (US)
Lee, Mammie C., 1710 NW Highland, Corvallis, OR 97330, (US)

LEGAL REPRESENTATIVE:

Jackson, Richard Eric et al (62281), Carpmaels & Ransford, 43 Bloomsbury Square, London WC1A 2RA, (GB)

PATENT (CC, No, Kind, Date): EP 1227399 A2 020731 (Basic)
EP 1227399 A3 050209

APPLICATION (CC, No, Date): EP 2002250246 020115;

PRIORITY (CC, No, Date): US 766007 010118

DESIGNATED STATES: DE; FR; GB

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS (V7): G06F-009/445

ABSTRACT WORD COUNT: 241

NOTE:

Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200231	623
SPEC A	(English)	200231	2520
Total word count - document A			3143
Total word count - document B			0
Total word count - documents A + B			3143

...SPECIFICATION a manufacturer install software.

Figure 2 illustrates a manufacturer having the ability to select multiple **images** to **create installed software** with versatility to accommodate installation of various operating systems, marketing segment software and platform specific...

21/3,K/28 (Item 28 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01402888

Apparatus, method, signal and computer program product configured to provide output image adjustment of an image file

Ausgabebildeinstellung von Bilddateien

Ajustement automatique des images de sortie pour fichiers d'images

PATENT ASSIGNEE:

Seiko Epson Corporation, (2132635), 4-1, Nishi-Shinjuku 2-chome, Shinjuku-ku, Tokyo 163-0811, (JP), (Applicant designated States: all)

INVENTOR:

Kuwata, Naoki, c/o Seiko Epson Corporation, 3-5, Owa 3-chome, Suwa-shi,
Nagano-ken, 392-8502, (JP)
Nakami, Yoshihiro, c/o Seiko Epson Corporation, 3-5, Owa 3-chome,
Suwa-shi, Nagano-ken, 392-8502, (JP)
Edatsune, Isao, c/o Seiko Epson Corporation, 3-5, Owa 3-chome, Suwa-shi,
Nagano-ken, 392-8502, (JP)

LEGAL REPRESENTATIVE:

Winter, Brandl, Furniss, Hubner, Ross, Kaiser, Polte Partnerschaft
(100051), Patent- und Rechtsanwaltskanzlei Alois-Steinecker-Strasse 22,
85354 Freising, (DE)

PATENT (CC, No, Kind, Date): EP 1187068 A2 020313 (Basic)
EP 1187068 A3 041208

APPLICATION (CC, No, Date): EP 2001121021 010831;

PRIORITY (CC, No, Date): JP 2000265794 000901; JP 200134518 010209; JP
200174696 010315; JP 2001217878 010718

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
LU; MC; NL; PT; SE; TR

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS (V7): G06T-011/00; H04N-001/00

ABSTRACT WORD COUNT: 108

NOTE:

Figure number on first page: 1

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200211	3695
SPEC A	(English)	200211	12589
Total word count - document A			16284
Total word count - document B			0
Total word count - documents A + B			16284

...SPECIFICATION the image processing functions explained with reference to
Figure 10 to the image data processing **application** installed in the
hard disk, etc. of the computer. **Image** files GF **generated** by DSC 22
are provided to the computer via a cable or via storage device...

21/3,K/31 (Item 31 from file: 348)

DIALOG(R)File 348:EUROPEAN PATENTS

(c) 2007 EUROPEAN PATENT OFFICE. All rts. reserv.

01343493

Application software damage detection and repair

Erfassung und Heilung von Anwendungsprogrammbeschädigung

Detection et reparation de l'endommagement de logiciels applicatifs

PATENT ASSIGNEE:

International Business Machines Corporation, (200128), New Orchard Road,
Armonk, NY 10504, (US), (Applicant designated States: all)

INVENTOR:

Snow, Paul Alanc/o IBM United Kingdom Limited, Intel.Prop.LawMP 110,
Hursley Park, Hursley, WinchesterHampshire SO21.2JN, (GB)

LEGAL REPRESENTATIVE:

Burt, Roger James et al (52153), IBM United Kingdom Limited, Intellectual
Property Law, MP 110, Hursley Park, Hursley, Winchester, Hampshire SO21
2JN, (GB)

PATENT (CC, No, Kind, Date): EP 1148417 A2 011024 (Basic)
EP 1148417 A3 060802

APPLICATION (CC, No, Date): EP 2001000104 010405;

PRIORITY (CC, No, Date): US 552862 000420

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
LU; MC; NL; PT; SE; TR

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS (V7): G06F-011/22; G06F-011/14

INTERNATIONAL CLASSIFICATION (V8 + ATTRIBUTES):

IPC + Level Value Position Status Version Action Source Office:

G06F-0011/22 A I F B 20060101 20010718 H EP

G06F-0011/14 A I L B 20060101 20010718 H EP

ABSTRACT WORD COUNT: 140

NOTE:

Figure number on first page: 4b

LANGUAGE (Publication,Procedural,Application): English; English; English

FULLTEXT AVAILABILITY:

Available Text	Language	Update	Word Count
CLAIMS A	(English)	200143	643
SPEC A	(English)	200143	5919
Total word count - document A			6563
Total word count - document B			0
Total word count - documents A + B			6563

...SPECIFICATION variables, registry settings, and other persisted structures must exist and in what form for this **application** to be properly **constructed** and **installed** in the persisted **image** of a computer system. The requirements section 408 also details any services and applications that...

21/3,K/60 (Item 60 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rts. reserv.

00931215 **Image available**

SOFTWARE INSTALLATION OVER A NETWORK WITH BUILD PLAN DEFINING THE BUILD, PLAN TRANSFERRED TO RECIPIENT COMPUTER AND EXECUTED
SYSTEME ET PROCEDE DE CONSTRUCTION D'ORDINATEURS NOTES

Patent Applicant/Assignee:

DIGEX INC, One Digex Plaza, Beltsville, MD 20705, US, US (Residence), US
 (Nationality)

Inventor(s):

VECCHIO Patrick R, 3133 Connecticut Avenue NW, Washington, DC 20008, US,
 REAM James A, 6921 Cable Drive, Marriottsville, MD 21104, US,

Legal Representative:

HEIDELBERGER Louis M (et al) (agent), Reed Smith, LLP, 2500 Liberty One,
 1650 Market Street, Philadelphia, PA 19103, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200265251 A2-A3 **20020822** (WO 0265251)

Application: WO 2002US4640 20020215 (PCT/WO US0204640)

Priority Application: US 2001783745 20010215

Designated States:

(Protection type is "patent" unless otherwise stated - for applications prior to 2004)

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
 EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
 LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ OM PH PL PT RO RU SD SE SG SI
 SK SL TJ TM TN TR TT TZ UA UG UZ VN YU ZA ZM ZW

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZM ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext word Count: 12544

Patent and Priority Information (Country, Number, Date):

Patent: ... **20020822**

Fulltext Availability:

Detailed Description

Publication Year: **2002**

Detailed Description

... Figure 12 shows a process for installing data onto a recipient computer using a disk image disk for creating a portion of the installed software on the recipient computer.
Figure 13 shows a system for building a recipient computer utilizing...

21/3,k/61 (Item 61 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rts. reserv.

00891319 **Image available**

METHOD FOR REMOTE INCREMENTAL PROGRAM VERIFICATION AND INSTALLATION ON
RESOURCE-CONSTRAINED DEVICES
PEUPLEMENT DE DISPOSITIFS A RESSOURCES LIMITEES A COMPATIBILITE BINAIRE
AVEC CONTENU VERIFIE PAR DEFINITIONS API

Patent Applicant/Assignee:

SUN MICROSYSTEMS INC, 901 San Antonio Road, Palo Alto, CA 94303, US, US
(Residence), US (Nationality)

Inventor(s):

SCHWABE Judith E, 901 San Antonio Road, Palo Alto, CA 94303, US,

Legal Representative:

RITCHIE David B (et al) (agent), Thelen Reid & Priest LLP, P.O. Box
640640, San Jose, CA 95164-0640, US,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200225428 A2-A3 20020328 (WO 0225428)

Application: WO 2001US28688 20010914 (PCT/WO US01028688)

Priority Application: US 2000661582 20000914

Designated States:

(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)

AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA CH CN CO CR CU CZ DE DK DM DZ
EC EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR
LS LT LU LV MA MD MG MK MN MW MX MZ NO NZ PL PT RO RU SD SE SG SI SK SL
TJ TM TR TT TZ UA UG UZ VN YU ZA ZW

(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE TR

(OA) BF BJ CF CG CI CM GA GN GQ GW ML MR NE SN TD TG

(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW

(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 21353

Patent and Priority Information (Country, Number, Date):

Patent: ... 20020328

Fulltext Availability:

Detailed Description

Publication Year: 2002

Detailed Description

... file contain the major and minor version numbers of the package described. When a CAP file is installed on a Java Card™ enabled device, a resident image of the package is created, and the major and minor version numbers are recorded as a part of that image...

21/3,k/68 (Item 68 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rts. reserv.

00764915

IMAGE MAKING MEDIUM

SUPPORT DE FORMATION D'IMAGE

Patent Applicant/Inventor:

HYMAN Sydney, 51 Greene Street, #3, New York, NY 10013, US, US
(Residence), US (Nationality)

Legal Representative:

WEILD David III, Pennie & Edmonds LLP, 1155 Avenue of the Americas, New
York, NY 10036, US

Patent and Priority Information (Country, Number, Date):

Patent: WO 200077085 A1 **20001221** (WO 0077085)
Application: WO 2000US16111 20000612 (PCT/WO US0016111)
Priority Application: US 99138694 19990611

Designated States:

(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)

AE AG AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM DZ EE ES
FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU
LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT
TZ UA UG US UZ VN YU ZA ZW
(EP) AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE
(OA) BF BJ CF CG CI CM GA GN GW ML MR NE SN TD TG
(AP) GH GM KE LS MW MZ SD SL SZ TZ UG ZW
(EA) AM AZ BY KG KZ MD RU TJ TM

Publication Language: English

Filing Language: English

Fulltext Word Count: 205520

Patent and Priority Information (Country, Number, Date):

Patent: ... **20001221**

Fulltext Availability:

Detailed Description

Publication Year: **2000**

Detailed Description

... production of a vast range of images which are see-through, images
made in layers, **images** with other forms of real spatial depth, and
images with other material properties which contribute significantly to
their meanings.

Ingredients and processes have always...

21/3,K/75 (Item 75 from file: 349)

DIALOG(R)File 349:PCT FULLTEXT

(c) 2007 WIPO/Thomson. All rts. reserv.

00560513 **Image available**

IMAGE FILE CHANGE CAPTURE METHOD AND APPARATUS

PROCEDE ET DISPOSITIF PERMETTANT DE CAPTURER UN FICHER VIDEO

Patent Applicant/Assignee:

GATEWAY INC,

Inventor(s):

JORDAN Robin D,

KROENING James L,

Patent and Priority Information (Country, Number, Date):

Patent: WO 200023886 A1 **20000427** (WO 0023886)
Application: WO 99US18262 19990811 (PCT/WO US9918262)
Priority Application: US 98175625 19981020

Designated States:

(Protection type is "patent" unless otherwise stated - for applications
prior to 2004)

AU CA JP AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE

Publication Language: English

Fulltext Word Count: 3401

Patent and Priority Information (Country, Number, Date):

Patent: ... **20000427**

Fulltext Availability:
Detailed Description
Publication Year: 2000

Detailed Description

... entire files. At the completion of the installation, the capture recorder is closed and the **image** file change capture process **creates** a change file containing all of the monitored and recorded **information** regarding the **installation** .

The machine readable instructions of the machine readable embodiment of the present invention will allow...

File 347:JAPIO Dec 1976-2006/Dec(Updated 070403)

(c) 2007 JPO & JAPIO

File 350:Derwent WPIX 1963-2007/UD=200725

(c) 2007 The Thomson Corporation

Set	Items	Description
S1	6657	INSTALLED(5N)(APPLICATION? ? OR PROGRAM? ? OR SOFTWARE OR - FILE OR FILES)
S2	7595	(INSTALLATION OR REGISTRY)(5N)(DATA OR INFORMATION)
S3	364	INSTALLATION(5N)(LIST OR LISTING OR HISTORY OR LOG OR RECO- RD)
S4	1970965	IMAGE? ? OR IMG
S5	701	S1:S3(7N)(COPY??? OR COPIE? ? OR READ??? OR SAV???)
S6	280595	S4(5N)(CREAT??? OR CONSTRUCT??? OR BUILD??? OR BUILT OR GE- NERAT??? OR PRODUC????? OR OUTPUT???)
S7	43	S5(10N)S4
S8	97	S6(10N)S1:S3
S9	24	S7 AND PY=1963:2003
S10	4	S7 AND AC=US/PR AND AY=(1963:2003)/PR
S11	8	S7 AND AC=US AND AY=1963:2003
S12	8	S7 AND AC=US AND AY=(1963:2003)/PR
S13	27	S9:S12
S14	93	S8 NOT S7
S15	50	S14 AND PY=1963:2003
S16	19	S14 AND AC=US/PR AND AY=(1963:2003)/PR
S17	25	S14 AND AC=US AND AY=1963:2003
S18	25	S14 AND AC=US AND AY=(1963:2003)/PR
S19	57	S15:S18

13/5/2 (Item 2 from file: 347)

DIALOG(R)File 347:JAPIO

(c) 2007 JPO & JAPIO. All rts. reserv.

07556905 **Image available**

DEVICE AND METHOD FOR PROTECTING COPYRIGHT IN PERSONAL COMPUTER

PUB. NO.: 2003-050746 [JP 2003050746 A]
PUBLISHED: February 21, 2003 (20030221)
INVENTOR(s): MAKINO HIDEO
APPLICANT(s): YAMAHA CORP
APPL. NO.: 2001-238174 [JP 2001238174]
FILED: August 06, 2001 (20010806)
INTL CLASS: G06F-012/14; G06F-017/60; G10L-011/00; G11B-020/10;
H04N-005/91

ABSTRACT

PROBLEM TO BE SOLVED: To provide a device for protecting copyright in a personal computer with which an audio file, etc., is outputted by protecting a copyright, when the audio file is outputted.

SOLUTION: An audio or image reproduction application program (A) reads copyright information from a medium and writes the information in a registry (storage means) (R). A device driver (B) reads the copyright information stored in the registry (R) and sets the copyright information to audio or image data which are to be outputted to the outside.

COPYRIGHT: (C)2003,JPO

13/5/5 (Item 5 from file: 347)

DIALOG(R)File 347:JAPIO

(c) 2007 JPO & JAPIO. All rts. reserv.

07431861 **Image available**

RECORDING MEDIUM STORING IMAGE PROCESSING PROGRAM, IMAGE PROCESSING PROGRAM, IMAGE PROCESSING DEVICE

PUB. NO.: 2002-300371 [JP 2002300371 A]
PUBLISHED: October 11, 2002 (20021011)
INVENTOR(s): NOBUYUKI NORIYUKI
SHINKAWA KATSUHIRO
APPLICANT(s): MINOLTA CO LTD
APPL. NO.: 2001-100063 [JP 2001100063]
FILED: March 30, 2001 (20010330)
INTL CLASS: H04N-001/387; G06T-003/00; G06T-005/00; H04N-005/202;
H04N-005/232; H04N-101:00

ABSTRACT

PROBLEM TO BE SOLVED: To provide an image processing device that can conduct summing processing on a personal computer without causing image quality deterioration to an image file outputted from a digital camera.

SOLUTION: An image processing program 65 installed in a personal computer 2 reads a plurality of original image data 61 subjected to gamma correction processing by a digital camera and applies inverse gamma correction processing respectively to generate a plurality of linear image data 62. The image processing device applies interpolation processing to the linear image data 62 and applies composite processing including summing processing to generate composite image data 63. The image processing device applies gamma correction to the generated composite image data 63 and stores the result to a hard disk 24 as a composite image file 64.

COPYRIGHT: (C)2002,JPO

13/5/6 (Item 6 from file: 347)

DIALOG(R)File 347:JAPIO

(c) 2007 JPO & JAPIO. All rts. reserv.

07330704 **Image available**

IMAGE READING SYSTEM, IMAGE READER, ITS CONTROL METHOD, INFORMATION PROCESSOR, ITS CONTROL METHOD, AND COMPUTER- READABLE STORAGE MEDIUM

PUB. NO.: 2002-199193 [JP 2002199193 A]

PUBLISHED: July 12, 2002 (20020712)

INVENTOR(s): NANHEI KENICHI

APPLICANT(s): CANON INC

APPL. NO.: 2000-399042 [JP 2000399042]

FILED: December 27, 2000 (20001227)

INTL CLASS: H04N-001/19; H04N-001/00

ABSTRACT

PROBLEM TO BE SOLVED: To easily read images on documents different by classifications and to realize image reading which is superior in operability.

SOLUTION: A transparency image read start button 4 is provided separately from a reflection document image read start button 3 set on an image reader 1, and one of these buttons is operated according to the classification of the document of an image to be read to change the sequence or parameters of image reading software set on a host PC 7 or the like to those adapted to the document or select an image read software adapted to the document, and then the image is read. Consequently, a user retrieving image read software previously installed in the host PC 7 prior to image reading to consciously execute it is dispensed with.

COPYRIGHT: (C)2002,JPO

13/5/8 (Item 8 from file: 347)

DIALOG(R)File 347:JAPIO

(c) 2007 JPO & JAPIO. All rts. reserv.

06396429 **Image available**

IMAGE INFORMATION READER

PUB. NO.: 11-338080 [JP 11338080 A]

PUBLISHED: December 10, 1999 (19991210)

INVENTOR(s): KODO TAKASHI
OTSUKA YUZURU
TAKADA KENJI
IIYAMA TATSUO

APPLICANT(s): FUJI PHOTO FILM CO LTD

APPL. NO.: 11-080435 [JP 9980435]

FILED: March 24, 1999 (19990324)

PRIORITY: 77106 [JP 9877106], JP (Japan), March 25, 1998 (19980325)

INTL CLASS: G03B-042/02

ABSTRACT

PROBLEM TO BE SOLVED: To reduce the installation area of an entire image information reader as much as possible and to availably utilize space.

SOLUTION: This device is provided with a cassette loading part 20 where a cassette is arranged so that the recording surface of a stimuable phosphor

sheet 22 may turn downward, a sheet elevating part 50 for taking the sheet 22 from the cassette 18, a read part 60 for reading radiation image information in a state where the recording surface turns upward and an erasure part 58 erasing the radiation image information remaining in a state where the recording surface turns upward, and the loading part 20, the erasure part 58 and the read part 60 are arrayed in this order downward in a vertical direction.

COPYRIGHT: (C)1999,JPO

13/5/9 (Item 9 from file: 347)

DIALOG(R)File 347:JAPIO

(c) 2007 JPO & JAPIO. All rts. reserv.

06308640 **Image available**

IMAGE READER AND COMPUTER READABLE MEDIUM FOR RECORDING IMAGE READING AND DISPLAYING PROGRAM

PUB. NO.: 11-250237 [JP 11250237 A]

PUBLISHED: September 17, 1999 (19990917)

INVENTOR(s): BANDO RYOJI
MORI MUNEHIRO
JONATHAN CHEN
MAEDA YUKARI

APPLICANT(s): MINOLTA CO LTD

APPL. NO.: 10-051084 [JP 9851084]

FILED: March 03, 1998 (19980303)

INTL CLASS: G06T-001/60; H04N-001/00; H04N-001/00; H04N-001/21;
H04N-001/393; G06F-003/00

ABSTRACT

PROBLEM TO BE SOLVED: To permit optimum index and preview display corresponding to the number of read images by providing an index display means for displaying a list of plural images and an index display changing means for changing the style of list display by means of the index display means.

SOLUTION: An image reader is composed of an image reader main body 1 and an image reading program installed in the storage device such as hard dish of a personal computer(PC) 6. Plural images such as film images are continuously read by the image reader, a file of respective image data is formed on the memory of the PC 6 and list display (index display) is performed on a display screen according to a style selected by a user. When any one of images of index display is selected, that image is expanded and preview display is performed.

COPYRIGHT: (C)1999,JPO

13/5/10 (Item 10 from file: 347)

DIALOG(R)File 347:JAPIO

(c) 2007 JPO & JAPIO. All rts. reserv.

06282733 **Image available**

DEVICE AND METHOD FOR PROCESSING IMAGE AND COMPUTER READABLE MEMORY

PUB. NO.: 11-224322 [JP 11224322 A]

PUBLISHED: August 17, 1999 (19990817)

INVENTOR(s): FUJISAWA KUNIMASA

APPLICANT(s): CANON INC

APPL. NO.: 10-024883 [JP 9824883]

FILED: February 05, 1998 (19980205)

INTL CLASS: G06T-001/00; G06F-012/00; H04N-001/21

ABSTRACT

PROBLEM TO BE SOLVED: To enable the control of image data even without installing a control program for the image data.

SOLUTION: This image processor holds an image display program 201 together with a data part 204 for holding the image data as an image file 200. Thus, even when the application of image display is not installed in the image processor, by reading the image file 200 and starting its display program 201, the image data in the data part 204 can be displayed.
COPYRIGHT: (C)1999,JPO

13/5/14 (Item 3 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0014536249 - Drawing available

WPI ACC NO: 2004-718201/200470

XPX ACC No: N2004-569352

Build image generating method, involves copying installation software that corresponds to program identified in build script to memory, and installing installation software on target computer system to create build image

Patent Assignee: LOCKWOOD M (LOCK-I); PATTON S (PATT-I); PURKEYPILE M (PURK-I); REHA V (REHA-I); SULM J (SULM-I); SONY CORP (SONY); SONY ELECTRONICS INC (SONY)

Inventor: LOCKWOOD M; PATTON S; PURKEYPILE M; REHA V; SULM J

Patent Family (2 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 20040194082	A1	20040930	US 2003404522	A	20030331	200470 B
US 7181740	B2	20070220	US 2003404522	A	20030331	200716 E

Priority Applications (no., kind, date): US 2003404522 A 20030331

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20040194082	A1	EN	28	8	

Alerting Abstract US A1

NOVELTY - The method involves copying a build script from a network location to a computer readable memory of a target computer system. Installation software that corresponds to a program identified in the build script is copied to the computer readable memory. The installation software is installed on the target computer system to create the build image. The selection of installation option is assignable to the program.

DESCRIPTION - An INDEPENDENT CLAIM is also included for a computer system.

USE - Used for generating a build image (claimed) in a computer system.

ADVANTAGE - The method automatically installs the installation software on the target computer system to create the build image, thus reducing the installation time.

DESCRIPTION OF DRAWINGS - **DESCRIPTION OF DRAWING** - The drawing shows a flowchart of the steps performed in the automated creation of image builds.

Title Terms/Index Terms/Additional words: BUILD; IMAGE; GENERATE; METHOD; COPY; INSTALLATION; SOFTWARE; CORRESPOND; PROGRAM; IDENTIFY; SCRIPT; MEMORY; TARGET; COMPUTER; SYSTEM

Class Codes

International Classification (+ Attributes)

IPC + Level Value Position Status Version

G06F-0009/44 A I R 20060101

G06F-0009/445 A I R 20060101

G06F-0009/445 A I F B 20060101
G06F-0009/44 C I R 20060101
G06F-0009/445 C I R 20060101
G06F-0009/445 C I B 20060101
US Classification, Issued: 717170000, 717120000, 717115000, 717174000,
717176000

File Segment: EPI;
DWPI Class: T01
Manual Codes (EPI/S-X): T01-F05B; T01-J20B2

13/5/16 (Item 5 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2007 The Thomson Corporation. All rts. reserv.

0013330674 - Drawing available
WPI ACC NO: 2003-418070/ 200339
XRPX ACC No: N2003-333471

User selected programs installation method for original equipment manufacturer, involves staging user-selected programs on destination computer using pre-configured reference system image

Patent Assignee: BURKHARDT R (BURK-I); COHEN J (COHE-I); HARIKRISHNAN S (HARI-I); LODWICK S (LODW-I); MCNAMARA D (MCNA-I); YARYAN T (YARY-I)
Inventor: BURKHARDT R; COHEN J; HARIKRISHNAN S; LODWICK S; MCNAMARA D; YARYAN T

Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 20030037326	A1	20030220	US 2001922616	A	20010806	200339 B

Priority Applications (no., kind, date): US 2001922616 A 20010806

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20030037326	A1	EN	13	3	

Alerting Abstract US A1

NOVELTY - An single image of a pre-configured reference system is copied to a storage medium of a destination computer to stage several programs on the computer. The staged programs are selected by user for installation on the destination computer.

DESCRIPTION - INDEPENDENT CLAIMS are included for the following:

- 1.computer readable medium storing instructions for programs installation method; and
- 2.computer configuring system.

USE - For installing user-selected programs on destination computer to configure end-user computer by original equipment manufacturer (OEM) or other system builder.

ADVANTAGE - By staging programs on destination computer using pre-configured reference system image, time taken to produce customized machines is reduced, considerably. Provides significant cost savings in maintaining the reference system image, and facilitates updating the operating system and other programs. Provides a controllable environment in which original equipment manufacturer can script the installation of programs on the target computer.

DESCRIPTION OF DRAWINGS - The figure shows a flow chart illustrating the programs installation method.

Title Terms/Index Terms/Additional words: USER; SELECT; PROGRAM; INSTALLATION; METHOD; ORIGINAL; EQUIPMENT; MANUFACTURE; STAGE; DESTINATION; COMPUTER; PRE; CONFIGURATION; REFERENCE; SYSTEM; IMAGE

Class Codes

International Classification (Main): G06F-009/445

(Additional/Secondary): G06F-009/44

US Classification, Issued: 717178000, 717173000

File Segment: EPI;

DWPI Class: T01

Manual Codes (EPI/S-X): T01-F05B2; T01-N01D; T01-N03A1A

13/5/17 (Item 6 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0013171854 - Drawing available

WPI ACC NO: 2003-254952/ **200325**

XRPX ACC No: N2003-202165

Application installation method for distributed data processing system, involves creating image of each individual client computer for placing it on another client computer where image is updated

Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)

Inventor: RODRIGUEZ H; SMITH J L

Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 6487718	B1	20021126	US 1999282637	A	19990331	200325 B

Priority Applications (no., kind, date): US 1999282637 A 19990331

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 6487718	B1	EN	12	9	

Alerting Abstract US B1

NOVELTY - An image (406) of a client (402), that is stored in a server (400), is copied onto another client (416). The application of the copied image is installed in the client (416) and the image of the client (402) is updated. The updated image is sent back to the client (402).

DESCRIPTION - INDEPENDENT CLAIMS are included for the following:

- 1.distributed data processing system; and
- 2.computer program product for installing an application on a client computer.

USE - For installing application in distributed data processing system (claimed) implemented as local area network (LAN), intranet, Internet, wide area network (WAN).

ADVANTAGE - The installation consumes less time as the installer does have to travel from one computer to another.

DESCRIPTION OF DRAWINGS - The figure illustrates the installation of an application on a client computer.

400 server
402,416 clients
406 image

Title Terms/Index Terms/Additional Words: APPLY; INSTALLATION; METHOD; DISTRIBUTE; DATA; PROCESS; SYSTEM; IMAGE; INDIVIDUAL; CLIENT; COMPUTER; PLACE; UPDATE

Class Codes

International Classification (Main): G06F-009/445

US Classification, Issued: 717177000, 717178000, 717174000, 717175000, 717168000, 709203000, 709232000

File Segment: EPI;
DWPI Class: T01
Manual Codes (EPI/S-X): T01-F05B2; T01-N01D; T01-N02A2C; T01-S03

13/5/21 (Item 10 from file: 350)

DIALOG(R)File 350:Derwent WPIX
(c) 2007 The Thomson Corporation. All rts. reserv.

0010035937 - Drawing available
WPI ACC NO: 2000-340860/ **200030**
Related WPI Acc No: 2003-415478
XRPX Acc No: N2000-255954

Modification method for graphical user interface of controlled computer operating system

Patent Assignee: DELL USA LP (DELL-N)
Inventor: MCGLOTHLIN J; STEDMAN R W; MCGOLAUSLIN J; STERMAN R W
Patent Family (17 patents, 13 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
DE 19940210	A1	20000413	DE 19940210	A	19990825	200030 B
AU 199953562	A	20000413	AU 199953562	A	19991008	200030 E
GB 2344440	A	20000607	GB 199921339	A	19990909	200031 E
JP 2000112718	A	20000421	JP 1999167692	A	19990615	200031 E
BR 199901666	A	20000530	BR 19991666	A	19990527	200035 E
FR 2787598	A1	20000623	FR 199912000	A	19990927	200036 E
GB 2344440	B	20001018	GB 199921339	A	19990909	200054 E
KR 2000028603	A	20000525	KR 199930289	A	19990726	200110 E
CN 1272649	A	20001108	CN 1999121739	A	19991009	200114 E
SG 80630	A1	20010522	SG 19992573	A	19990525	200134 E
US 6262726	B1	20010717	US 1998169324	A	19981009	200142 E
IE 81924	B	20010919	IE 1999516	A	19990618	200172 E
IT 1310656	B	20020219	IT 1999T0677	A	19990730	200247 E
TW 522341	A	20030301	TW 1999111389	A	19990705	200365 E
AU 767107	B	20031030	AU 199953562	A	19991008	200382 E
CN 1129845	C	20031203	CN 1999121739	A	19991009	200565 E
KR 583454	B1	20060524	KR 199930289	A	19990726	200708 E

Priority Applications (no., kind, date): US 1998169324 A 19981009

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
DE 19940210	A1	DE	16	9	
JP 2000112718	A	JA	12		
BR 199901666	A	PT			
SG 80630	A1	EN			
IE 81924	B	EN			
TW 522341	A	ZH			
AU 767107	B	EN			Previously issued patent AU 9953562
KR 583454	B1	KO			Previously issued patent KR 2000028603

Alerting Abstract DE A1

NOVELTY - The process allows the graphical user surface of a computer system to be modified. The process involves **copying** of the operating system, the configuration **data**, the **installation** program, the graphical **image data** and the **installation data** onto the system hard disc.

DESCRIPTION - INDEPENDENT CLAIMS are included for a computer system, and a method of setting up a computer system

USE - For computer systems

ADVANTAGE - Allows desk top to be configured by user

DESCRIPTION OF DRAWINGS - The figure shows a block diagram illustrating the installation of the operating system.

104 Software installation range

19/5/3 (Item 3 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2007 JPO & JAPIO. All rts. reserv.

07564645 **Image available**
IMAGE FORMING DEVICE

PUB. NO.: 2003-058486 [JP 2003058486 A]
PUBLISHED: February 28, 2003 (20030228)
INVENTOR(s): FUKUNAGA SHINICHI
APPLICANT(s): RICOH CO LTD
APPL. NO.: 2001-242187 [JP 2001242187]
FILED: August 09, 2001 (20010809)
INTL CLASS: G06F-013/10; B41J-005/30; B41J-029/38; G06F-003/12

ABSTRACT

PROBLEM TO BE SOLVED: To make it possible to add a memory card loaded with a flash memory as usual at the time of adding an optional program without distributing a CD-ROM.

SOLUTION: Two or more kinds of control programs to be optional programs are previously installed in an HDD built in an image forming device such as a copying machine and a printer and ciphered data are previously recorded in an SD card having inherent ID data. Arithmetic operation is executed by using the ID data of the SD card inserted into the device and prescribed functions and the allowance/inhibition of use of each control program is judged based on the operation result. When the ciphered data of the SD card is copied to another SD card, the operation is executed by the ID data of the other card and the ciphered data, so that a correct operation result can not be obtained and all the control programs are not validated.

COPYRIGHT: (C)2003, JPO

19/5/5 (Item 5 from file: 347)
DIALOG(R)File 347:JAPIO
(c) 2007 JPO & JAPIO. All rts. reserv.

07038221 **Image available**
METHOD, SYSTEM, AND SERVER FOR REFORMATION ASSISTANCE

PUB. NO.: 2001-265855 [JP 2001265855 A]
PUBLISHED: September 28, 2001 (20010928)
INVENTOR(s): INAO MASAYUKI
TSUKAMOTO HIDETOSHI
ARAKAWA NOBUO
ISHIDA MASASHI
APPLICANT(s): MATSUSHITA ELECTRIC WORKS LTD
APPL. NO.: 2000-072985 [JP 200072985]
FILED: March 15, 2000 (20000315)
INTL CLASS: G06F-017/60

ABSTRACT

PROBLEM TO BE SOLVED: To help a customer to plan reformation.

SOLUTION: A server 11 and a customer terminal 2 are connected together via the Internet 3. The server 1 has a customer management file F1 containing the contents of the installed products that the customer is currently using so that they are made to correspond to identification information and an article management file F2 which contains catalogs of providable products. When the server 1 is accessed by the customer terminal 2, the server 1 prompts the input of identification information via the customer terminal 2

and collects identification information inputted via the customer terminal 2 with the customer management file F1 to specify the installed products that the customer is using now. The server 1 select products suitable for reformation from the article management file F2 according to the specified **installed product** and further presents an **image** of the external appearance of the product selected from the article management file F2 via the customer terminal 2.

COPYRIGHT: (C)2001,JPO

19/5/10 (Item 3 from file: 350)
 DIALOG(R)File 350:Derwent WPIX
 (c) 2007 The Thomson Corporation. All rts. reserv.

0014694442 - Drawing available
 WPI ACC NO: 2005-042041/200505
 XRPX ACC No: N2005-037070

Software image creation system for distributed build environment, has client computers that accept job from server computers to execute accepted job by performing operation associated with creation of installed software image

Patent Assignee: MICROSOFT CORP (MICT)
 Inventor: BURKHARDT R; CHOW T; COHEN J; LODWICK S; PAYA I C; PURPURA S J
Patent Family (6 patents, 38 countries)

Patent			Application			
Number	Kind	Date	Number	Kind	Date	Update
EP 1492001	A2	20041229	EP 200411694	A	20040517	200505 B
US 20040268345	A1	20041230	US 2003603294	A	20030624	200505 E
JP 2005018782	A	20050120	JP 2004187040	A	20040624	200508 E
CN 1573701	A	20050202	CN 200410061911	A	20040624	200532 E
KR 2005001321	A	20050106	KR 200442485	A	20040610	200534 E
IN 200400926	I1	20060630	IN 2004DE926	A	20040524	200648 E

Priority Applications (no., kind, date): US 2003603294 A 20030624

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
EP 1492001	A2	EN	18	8	
Regional Designated States,Original: AL AT BE BG CH CY CZ DE DK EE ES FI					
FR GB GR HR HU IE IT LI LT LU LV MC MK NL PL PT RO SE SI SK TR					
JP 2005018782	A	JA	21		
IN 200400926	I1	EN			

Alerting Abstract EP A2

NOVELTY - The system has server computers (51) maintaining a list of jobs related to an operation that is associated with **creation** of an **installed software image**. Client computers (52) communicate with the servers and accept one of the jobs from the server computers. The client computers execute the accepted job by performing the operation. The server and client computers maintain data structures indicating job availability and status.

DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- 1.a method used in a distributed build environment
- 2.a data structure used in a distributed build environment.

USE - Used for distributed build environment to create a software image.

ADVANTAGE - The system allows a distributed build environment to have minimal configuration on the client computers and hence makes the reallocation and redistribution of client computers in a simple manner. The image build times are reduced significantly by adding additional imaging clients which increases client resource usage and efficiency. The system uses only a single computer to successively build each image, thus reducing the amount and cost of processing hardware. The system thus enables original equipment manufacturers and system builders to easily modify,

create, and image software in a factory, thus reducing resource consumption and time.

DESCRIPTION OF DRAWINGS - The drawing shows an exemplary block diagram illustrating communication between the clients and server computers.

50 Network system
51 Server computers
52 Client computers
202 List
204 Interface unit

Title Terms/Index Terms/Additional words: SOFTWARE; IMAGE; CREATION; SYSTEM ; DISTRIBUTE; BUILD; ENVIRONMENT; CLIENT; COMPUTER; ACCEPT; JOB; SERVE; EXECUTE; PERFORMANCE; OPERATE; ASSOCIATE; INSTALLATION

Class Codes

International Classification (Main): G06F-015/16, G06F-009/44, G06T

International Classification (+ Attributes)

IPC + Level Value Position Status Version

G06F-0009/445 A I R 20060101
G06F-0009/50 A I R 20060101
G06F-0009/445 C I R 20060101
G06F-0009/46 C I R 20060101

US Classification, Issued: 717176000

File Segment: EPI;

DWPI Class: T01

Manual Codes (EPI/S-X): T01-F01B; T01-F05B2; T01-J05B2B; T01-J20B2; T01-M02A

19/5/11 (Item 4 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0014690585 - Drawing available

WPI ACC NO: 2005-038173/200504

XPX ACC No: N2005-033441

Program components installation method for computer, involves copying determined configuration setting from one file directory to another file directory, so that determined configuration setting is used by secondary operating system

Patent Assignee: SUN MICROSYSTEMS INC (SUNM)

Inventor: CALLAHAN T L; MULLEN A J

Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 20040243997	A1	20041202	US 2003449139	A	20030529	200504 B

Priority Applications (no., kind, date): US 2003449139 A 20030529

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20040243997	A1	EN	13	7	

Alerting Abstract US A1

NOVELTY - A configuration setting information is processed to determine configuration settings for a primary operating system in a file directory. The determined configuration settings is copied from the file directory to another file directory to which secondary operating system image is copied, so that the determined configuration setting is used by the secondary operating system.

DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

1.system for installing program components; and

generating image data and sending the image data to terminal equipment.

USE - Used for generating and processing an image data.

ADVANTAGE - The sending of image data that is generated by the scanner is controlled by CPU, thereby easily designating the computer. The system prevents the scanner from receiving the image data without users intention.

DESCRIPTION OF DRAWINGS - The drawing shows a diagram depicting a system configuration of a data processing system.

1 Image data processing system

2 Scanner

3,4,5a-5c Personal computers

6,7a-7c Hub

8 Local area network

Title Terms/Index Terms/Additional words: IMAGE; DATA; PROCESS; SYSTEM; SCAN; CPU; CONFIGURATION; SEND; NOTICE; APPLY; SOFTWARE; SELECT; PERSON; COMPUTER

Class Codes

International Classification (+ Attributes)

IPC + Level Value Position Status Version

G06F-0012/14	A	I	F	R	20060101
G06F-0013/00	A	I	F	R	20060101
G06F-0015/00	A	I	L	R	20060101
G06F-0003/00	A	I		R	20060101
G06F-0003/048	A	I	L	R	20060101
H04L-0012/28	A	I	L	R	20060101
H04L-0012/56	A	I	L	R	20060101
H04N-0001/00	A	I	L	R	20060101
H04N-0001/32	A	I		R	20060101
H04N-0001/32	A	I	L	R	20060101
G06F-0013/00	A	I	F	B	20060101
G06F-0003/048	A	I	L	B	20060101
H04N-0001/00	A	I	L	B	20060101
G06F-0012/14	C	I	F	R	20060101
G06F-0013/00	C	I	F	R	20060101
G06F-0015/00	C	I	L	R	20060101
G06F-0003/00	C	I		R	20060101
G06F-0003/048	C	I	L	R	20060101
H04L-0012/28	C	I	L	R	20060101
H04L-0012/56	C	I	L	R	20060101
H04N-0001/00	C	I	L	R	20060101
H04N-0001/32	C	I		R	20060101
H04N-0001/32	C	I	L	R	20060101
G06F-0013/00	C	I	F	B	20060101
G06F-0003/048	C	I	L	B	20060101
H04N-0001/00	C	I	L	B	20060101

US Classification, Issued: 358402000, 709206000

File Segment: EPI;

DWPI Class: T01; T04; W01; W02

Manual Codes (EPI/S-X): T01-C06; T01-H05A; T01-S03; T04-M01; W01-A06B5A; W02-F07M

19/5/13 (Item 6 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0014160359 - Drawing available

WPI ACC NO: 2004-345353/200432

XRPX ACC No: N2004-276029

Computer software installation method, involves generating static and dynamic installation images for most frequently selected hardware and software, and storing images in storage device

Patent Assignee: DELL PROD LP (DELL-N)

2.article of manufacture for installing program components on computer.

USE - For installing program components on computer.

ADVANTAGE - The operation is performed without any interruption in computer during installation of new version or down version.

DESCRIPTION OF DRAWINGS - The figure shows the flowchart illustrating the process of installing program component on the computer.

Title Terms/Index Terms/Additional words: PROGRAM; COMPONENT; INSTALLATION; METHOD; COMPUTER; COPY; DETERMINE; CONFIGURATION; SET; ONE; FILE; DIRECTORY; SO; SECONDARY; OPERATE; SYSTEM

Class Codes

International Classification (Main): G06F-009/445

US Classification, Issued: 717174000

File Segment: EPI;

DWPI Class: T01

Manual Codes (EPI/S-X): T01-F05B2; T01-J20B2; T01-S03

19/5/12 (Item 5 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0014331611 - Drawing available

WPI ACC NO: 2004-519417/200450

XRPX ACC No: N2004-411549

Image data processing system, has scanner with CPU that is configured to send notice of application software to selected personal computer, and to send image data to selected computer that process sent data

Patent Assignee: BROTHER KOGYO KK (BRER)

Inventor: FUKAZAWA K; MAEKAWA Y; OHARA K

Patent Family (6 patents, 33 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
EP 1434421	A1	20040630	EP 200329088	A	20031217	200450 B
JP 2004213397	A	20040729	JP 2003152	A	20030106	200450 E
JP 2004214854	A	20040729	JP 2002380589	A	20021227	200450 E
US 20040153516	A1	20040805	US 2003703433	A	20031110	200452 E
JP 2005038268	A	20050210	JP 2003275824	A	20030717	200511 E
JP 3870900	B2	20070124	JP 2003152	A	20030106	200708 E

Priority Applications (no., kind, date): JP 2002380589 A 20021227; JP 2003152 A 20030106; JP 2003275824 A 20030717

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
EP 1434421	A1	EN	50	17	

Regional Designated States,Original: AL AT BE BG CH CY CZ DE DK EE ES FI FR GB GR HU IE IT LI LT LU LV MC MK NL PT RO SE SI SK TR

JP 2004213397 A JA 26

JP 2004214854 A JA 27

JP 2005038268 A JA 27

JP 3870900 B2 JA 27

Previously issued patent JP 2004213397

Alerting Abstract EP A1

NOVELTY - The system (1) has a scanner (2) with a CPU for generating an image data, where the CPU is configured to select personal computers (3,4,5a-5c), and an application software. The CPU sends a notice and image data of the selected application software to the selected computer. Another CPU in the computer receives the data from the scanner and processes the data by the selected software.

DESCRIPTION - An INDEPENDENT CLAIM is also included for a program product for causing a computer used as an image data generating apparatus for

Inventor: FOGARTY T; HAMMAD A A

Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 6721946	B1	20040413	US 2000672645	A	20000928	200432 B

Priority Applications (no., kind, date): US 2000672645 A 20000928

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 6721946	B1	EN	7	3	

Alerting Abstract US B1

NOVELTY - The method involves assessing a frequency with which hardware and software is installed on a computer. A static and dynamic installation images are generated for most frequently selected hardware and software. The images are developed for a configuration database to determine the appropriate image for the actual configuration ordered by the customer and are stored in a storage device of the computer.

DESCRIPTION - An INDEPENDENT CLAIM is also included for a system that uses the above method.

USE - Used for installing software on a computer to provide customers with wide choice of computer configurations.

ADVANTAGE - The installation improves the reliability while optimizing the required burn time and maximizes the throughput of a computer manufacturing facility.

DESCRIPTION OF DRAWINGS - The drawing shows a flow diagram of a computer in a built-to-order manufacturing facility.

Title Terms/Index Terms/Additional words: COMPUTER; SOFTWARE; INSTALLATION; METHOD; GENERATE; STATIC; DYNAMIC; IMAGE; FREQUENT; SELECT; HARDWARE; STORAGE; DEVICE

Class Codes

International Classification (Main): G06F-009/445

US Classification, Issued: 717175000

File Segment: EPI;

DWPI Class: T01

Manual Codes (EPI/S-X): T01-F05B2; T01-J05B4P; T01-J20X

19/5/15 (Item 8 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0013855104

WPI ACC NO: 2004-033407/ 200403

XRPX ACC No: N2004-026500

Macintosh computer image creation method for Macintosh based computer applications, involves copying image created in one Macintosh computer to another Macintosh computer

Patent Assignee: DEAN EASTERBY K (EAST-I)

Inventor: DEAN EASTERBY K

Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 20030218616	A1	20031127	US 2002154599	A	20020524	200403 B

Priority Applications (no., kind, date): US 2002154599 A 20020524

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20030218616	A1	EN	2	0	

Alerting Abstract US A1

NOVELTY - A unique serial number is assigned to operating system and applications installed in each **Macintosh** computer. Based on the serial numbers, the image from one **Macintosh** computer is transferred to other **Macintosh** computer.

USE - For creating an image of one **Macintosh** computer and transferring to another **Macintosh** computer.

ADVANTAGE - The process of transferring an image is made quick and thus saves money.

Title Terms/Index Terms/Additional Words: COMPUTER; IMAGE; CREATION; METHOD ; BASED; APPLY; COPY; ONE

Class Codes

International Classification (Main): G09G-005/00
US Classification, Issued: 345619000

File Segment: EngPI; EPI;

DWPI Class: T01; P85

Manual Codes (EPI/S-X): T01-F05G; T01-J12C; T01-N01D1B

19/5/17 (Item 10 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0013752673 - Drawing available

WPI ACC NO: 2003-851436/ **200379**

XRPX ACC No: N2003-679960

Preload image creating method for server network installation in business applications, involves prompting user for location of desired additional software and creating preload image portion that includes additional software

Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)

Inventor: DEAN J R; RODRIGUEZ I M

Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 6651094	B1	20031118	US 1998118207	A	19980717	200379 B

Priority Applications (no., kind, date): US 1998118207 A 19980717

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 6651094	B1	EN	10	5	

Alerting Abstract US B1

NOVELTY - A preload image portion containing software for which a seller has redistribution rights, is created. A designated user is prompted for a location of additional software (304) for which the seller does not have redistribution rights but desires to have redistribution rights. A preload image portion that includes the additional software is created using an image utility (306).

DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- 1.preload image creating apparatus; and
- 2.computer program product for creating preload image.

USE - For creating preload image for installation of **server network in data processing** system employed in business, **industry** and academic endeavors.

ADVANTAGE - Improves the phase of generating the preload image by merely prompting the reseller to specify the location of the remaining software without memory prompts.

DESCRIPTION OF DRAWINGS - The figure shows a conceptual view illustrating the process of creating preload image.

304additional software
306image utility
306apreselected criteria
402application source
402asetup
402bcompressed files

Title Terms/Index Terms/Additional Words: PRELOADED; IMAGE; METHOD; SERVE; NETWORK; INSTALLATION; BUSINESS; APPLY; PROMPT; USER; LOCATE; ADD; SOFTWARE; PORTION

Class Codes

International Classification (Main): G06F-015/177
US Classification, Issued: 709222000, 709220000, 709223000

File Segment: EPI;

DWPI Class: T01

Manual Codes (EPI/S-X): T01-F05E; T01-N02A3C; T01-S03

19/5/18 (Item 11 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0013706233 - Drawing available

WPI ACC NO: 2003-803388/ 200375

XRPX ACC No: N2003-644037

Software bundle installation method e.g. for operating system in computer, involves decoding selected image files corresponding to hardware/software configuration of target computer to obtain software bundle

Patent Assignee: LIANQIANG INT CO LTD (LIAN-N); SYNEX TECHNOLOGY INT CORP (SYNN-N)

Inventor: KAKU S; KUO J; LIN H; RIN K

Patent Family (4 patents, 3 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
US 20030192043	A1	20031009	US 2002118005	A	20020409	200375	B
AU 200231436	A	20031009	AU 200231436	A	20020405	200375	NCE
JP 2003330721	A	20031121	JP 2002128975	A	20020430	200381	NCE
US 7194738	B2	20070320	US 2002118005	A	20020409	200723	E

Priority Applications (no., kind, date): AU 200231436 A 20020405; US 2002118005 A 20020409; JP 2002128975 A 20020430

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20030192043	A1	EN	12	7	
JP 2003330721	A	JA	10		

Alerting Abstract US A1

NOVELTY - Each target computer (8) is enabled to select one of the image files (64) corresponding to hardware and software configurations of the computer, from a target storage medium (81) such as a hard disk. The selected image file is decoded to obtain the software bundle that is stored in the target storage medium.

USE - For installing software bundles such as operating system, hardware driver software and application software in computer.

ADVANTAGE - Permits simultaneous installation of software bundles on target computers with different hardware and software configurations in computer assembly line. Reduces downloading time of image files.

DESCRIPTION OF DRAWINGS - The figure shows the schematic view illustrating software bundle installation method.

6 reference computers

8 target computer
64 image files
71 server computer
81 target storage medium

Title Terms/Index Terms/Additional words: SOFTWARE; BUNDLE; INSTALLATION;
METHOD; OPERATE; SYSTEM; COMPUTER; DECODE; SELECT; IMAGE; FILE;
CORRESPOND; HARDWARE; CONFIGURATION; TARGET; OBTAIN

Class Codes

International Classification (Main): G06F-009/445

International Classification (+ Attributes)

IPC + Level Value Position Status Version

G06F-0009/445 A I R 20060101

G06F-0009/44 A N L B 20060101

G06F-0009/445 A I F B 20060101

G06F-0009/445 C I R 20060101

G06F-0009/44 C N B 20060101

G06F-0009/445 C I B 20060101

US Classification, Issued: 717178000, 717174000, 717175000, 717177000

File Segment: EPI;

DWPI Class: T01

Manual Codes (EPI/S-X): T01-F01B; T01-F05B2; T01-N01D

19/5/19 (Item 12 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0013703173 - Drawing available

WPI ACC NO: 2003-800288/ 200375

XRPX ACC No: N2003-641188

Software suite installing method in computer system, involves querying each component of software suite to determine whether components are required to create baseline installation image for suite

Patent Assignee: MICROSOFT CORP (MICT)

Inventor: JOHNSON C; MARINO P J; ZIMNIEWICZ J A

Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 6618857	B1	20030909	US 2000535582	A	20000327	200375 B

Priority Applications (no., kind, date): US 2000535582 A 20000327

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 6618857	B1	EN	14	6	

Alerting Abstract US B1

NOVELTY - The components e.g. structured query language (SQL) server of a software suite, are queried by a set-up program to determine whether the components are required to create baseline installation image for the suite. The components are installed in the computer based on the determination result.

DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- 1.system for installation of software suite; and
- 2.computer readable medium storing software suite installation program.

USE - For installing group of related programs e.g. software suite such as back office server, including SQL server, exchange server, host integration server (HIS), proxy server, facsimile server, system management

server (SMS), management server (MS), Microsoft data access component (MDAC), Internet explorer, word processor, database and spread sheet, in computer system, hand-held device, microprocessor, microprocessor-based programmable consumer electronics, networked personal computer (PC), minicomputers and main frame computers through local area network (LAN), wide area network (WAN), Ethernet, synchronous optical network (SONET), digital subscriber line (DSL), T-1.

ADVANTAGE - Simplifies the suite installation process by eliminating the need to write different set-up procedure for each versions of components that is already installed.

DESCRIPTION OF DRAWINGS - The figure shows the flowchart explaining the software suite installation method.

Title Terms/Index Terms/Additional words: SOFTWARE; SUITE; INSTALLATION; METHOD; COMPUTER; SYSTEM; COMPONENT; DETERMINE; REQUIRE; BASELINE; IMAGE

Class Codes

International Classification (Main): G06F-009/445

US Classification, Issued: 717175000, 707203000

File Segment: EPI;

DWPI Class: T01; W01

Manual Codes (EPI/S-X): T01-F05B; T01-F06; T01-N01D; T01-N02A3C; T01-S03; W01-A06E

19/5/22 (Item 15 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0013649730 - Drawing available

WPI ACC NO: 2003-745750/ 200370

XRFX ACC No: N2003-597448

Software package installation improving method in computer system, involves transmitting obtained input values corresponding to determined installation parameters to remotely-located system for remote validation

Patent Assignee: INT BUSINESS MACHINES CORP (IBMC)

Inventor: DRAKE D R; SIZEMORE R C

Patent Family (2 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
US 20030159137	A1	20030821	US 200279302	A	20020219	200370	B
US 6954930	B2	20051011	US 200279302	A	20020219	200567	E

Priority Applications (no., kind, date): US 200279302 A 20020219

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 20030159137	A1	EN	22	8	

Alerting Abstract US A1

NOVELTY - The input values corresponding to installation parameters of an installation package are obtained. The installation parameters to be subjected to remote validation are determined. The obtained input values corresponding to the determined parameters are transmitted to a remotely-located system for the remote validation. The result of the remote validation is used for building the package.

DESCRIPTION - INDEPENDENT CLAIMS are also included for the following:

- 1.system for improving installation of software packages; and
- 2.computer program product for improving installation of software packages.

USE - For improving installation of software package in computer system

including laptop computer, hand-held or mobile computer, desktop computer and server/mainframe computer. Also for cellular phones, personal digital assistants (PDAs), dash-board devices in vehicle and other devices having computing or processing capabilities.

ADVANTAGE - Simplifies the installation process of software packages. Provides for consistent and efficient installation of software package across a wide variety of target installation environments.

DESCRIPTION OF DRAWINGS - The figure shows the flowchart of software package installation improving method.

Title Terms/Index Terms/Additional words: SOFTWARE; PACKAGE; INSTALLATION; IMPROVE; METHOD; COMPUTER; SYSTEM; TRANSMIT; OBTAIN; INPUT; VALUE; CORRESPOND; DETERMINE; PARAMETER; REMOTE; LOCATE; VALID

Class Codes

International Classification (Main): G06F-009/44, G06F-009/445

(Additional/Secondary): G06F-015/00, G06F-015/16, G06F-015/177

US Classification, Issued: 717172000, 717177000, 715513000, 717178000, 709219000, 709220000

File Segment: EPI;

DWPI Class: T01

Manual Codes (EPI/S-X): T01-F01B; T01-F05B; T01-S03

19/5/29 (Item 22 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0012762333 - Drawing available

WPI ACC NO: 2002-615886/ **200266**

Related WPI Acc No: 2003-763163

Method for installing and executing software using virtual cd rom drive and virtual disk drive and manufacturing usage right license management program

Patent Assignee: SPACE INT INC (SPAC-N)

Inventor: SIM J S

Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update	
KR 2002023760	A	20020329	KR 200179873	A	20011215	200266	B

Priority Applications (no., kind, date): KR 200179873 A 20011215

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
KR 2002023760	A	KO	1	10	

Alerting Abstract KR A

NOVELTY - A method for installing and executing software using a virtual CD ROM drive and a virtual disk drive is provided to store the corresponding software as an image file type of the virtual CD ROM drive, and to store installation information and registry information of the same software as an image file type of the virtual disk drive, then to use the software without installing another software in a client PC, so as not to leave any marks of using and installing the software.

DESCRIPTION - If a server program is installed(S1), a system manager sets up the number of fairly-obtained software usage right licenses, and sets up a software simultaneous user metering function. The system manager stores software to be used as image file types of a virtual CD ROM drive in a server disk(S2). The system manager stores installation information of the software as image file types of a virtual disk drive(S3). If a client program is installed(S'1), a client PC or PC generates a virtual CD ROM drive. If a software user selects one of the software stored in the step S1, to execute the selected software, an image file of the selected software is inserted to the generated virtual CD ROM drive(S'2). The client PC generates a virtual disk to insert image files of installation

information of the software stored in the step S3 and registry information processed according to execution conditions of the selected software of the client PC, to execute the selected software(S'3). when completing the execution of the used software, the image file of the step S'2 is automatically removed(S4). The used software installation information and the registry information are automatically removed at the same time(S5).

Title Terms/Index Terms/Additional words: METHOD; INSTALLATION; EXECUTE; SOFTWARE; VIRTUAL; CD; ROM; DRIVE; DISC; MANUFACTURE; RIGHT; LICENCE; MANAGEMENT; PROGRAM

Class Codes

International Classification (Main): G06F-015/16

File Segment: EPI;

DWPI Class: T01

Manual Codes (EPI/S-X): T01-M02

19/5/48 (Item 41 from file: 350)

DIALOG(R)File 350:Derwent WPIX

(c) 2007 The Thomson Corporation. All rts. reserv.

0008050705 - Drawing available

WPI ACC NO: 1997-145144/ **199713**

XRPX ACC No: N1997-120169

Installation of down-loaded pre-bundled software onto computer - creates image of storage of format type onto which software bundle is to be down-loaded, copies software onto image device, and copies software from image device to storage on connected computer on block-by-block basis

Patent Assignee: APPLE COMPUTER INC (APPY)

Inventor: MURPHY C J; STANLEY J L

Patent Family (1 patents, 1 countries)

Patent Number	Kind	Date	Application Number	Kind	Date	Update
US 5604906	A	19970218	US 1995383864	A	19950206	199713 B

Priority Applications (no., kind, date): US 1995383864 A 19950206

Patent Details

Number	Kind	Lan	Pg	Dwg	Filing Notes
US 5604906	A	EN	12	9	

Alerting Abstract US A

To accelerate the process of installing software on a number of computers, an image is created with the same formatting as the target drive in each computer onto which the software is to be installed. A controller determines the manner in which target drives on the computers are formatted.

The image drive is then created with the same formatting, using the known target drives as a frame of reference. Once the **image** drive has been **created** and the desired software bundle loaded onto it, the **software** is **installed** on the computers from the image file, on a block-by-block basis, rather than using individual file transfer under the control of a higher level file management program.

ADVANTAGE - Transfer rate is increased.

Refine Search

Search Results -

Terms	Documents
L20 and (uninstall or install).ab.	6

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Search History

DATE: Wednesday, May 09, 2007
 [Purge Queries](#)
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT; PLUR=NO; OP=OR</i>		
<u>L21</u>	L20 and (uninstall or install).ab.	6	<u>L21</u>
<u>L20</u>	L19 or l18	62	<u>L20</u>
<u>L19</u>	L17 and (registry and install)	54	<u>L19</u>
<u>L18</u>	L17 and (uninstall and install)	19	<u>L18</u>
<u>L17</u>	L16 or l15	177	<u>L17</u>
<u>L16</u>	L15 and registry	54	<u>L16</u>
<u>L15</u>	L14 and (install or uninstall)	177	<u>L15</u>
<u>L14</u>	L10 and image	1366	<u>L14</u>
<u>L13</u>	L10 and uninstall	35	<u>L13</u>
<u>L12</u>	L11 and registry	106	<u>L12</u>
<u>L11</u>	L10 and install	457	<u>L11</u>
<u>L10</u>	717/175,136,146,124,106.ccls. or 712/4.ccls. or 713/179,187,188,176,181,187.ccls. or 726/16,21,26,16,17,21,26.ccls.	3987	<u>L10</u>

<u>L9</u>	L8 and (disassemble or dissembler)	3	<u>L9</u>
<u>L8</u>	L7 and (reverse ADJ engineering)	118	<u>L8</u>
<u>L7</u>	717/\$\$\$\$.ccls.	7272	<u>L7</u>
<u>L6</u>	L5 and L1	57	<u>L6</u>
<u>L5</u>	(717/124).ccls.	531	<u>L5</u>
<u>L4</u>	L1 AND disassembler	0	<u>L4</u>
<u>L3</u>	L2 AND disassembler	0	<u>L3</u>
<u>L2</u>	L1 AND (Reverse ADJ engineering)	19	<u>L2</u>
<u>L1</u>	717/136 717/146 717/106 717/.ccls. Or 345/A 345/D.ccls. Or (703/23).ccls. OR (712/4).ccls.	1777	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L22 and (uninstall or install).ab.	29

Database:	US Pre-Grant Publication Full-Text Database	
	US Patents Full-Text Database	
	US OCR Full-Text Database	
	EPO Abstracts Database	
	JPO Abstracts Database	
	Derwent World Patents Index	
	IBM Technical Disclosure Bulletins	

Search:	L23	<input type="button" value="Refine Search"/>

<input type="button" value="Recall Text"/>	<input type="button" value="Clear"/>	<input type="button" value="Interrupt"/>
--	--------------------------------------	--

Search History

DATE: Wednesday, May 09, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=PGPB; PLUR=NO; OP=OR</i>		
<u>L23</u>	L22 and (uninstall or install).ab.	29	<u>L23</u>
<u>L22</u>	717/175,136,146,124,106.ccls. or 712/4.ccls. or 713/179,187,188,176,181,187.ccls. or 726/16,21,26,16,17,21,26.ccls.	3912	<u>L22</u>
	<i>DB=USPT; PLUR=NO; OP=OR</i>		
<u>L21</u>	L20 and (uninstall or install).ab.	6	<u>L21</u>
<u>L20</u>	L19 or l18	62	<u>L20</u>
<u>L19</u>	L17 and (registry and install)	54	<u>L19</u>
<u>L18</u>	L17 and (uninstall and install)	19	<u>L18</u>
<u>L17</u>	L16 or l15	177	<u>L17</u>
<u>L16</u>	L15 and registry	54	<u>L16</u>
<u>L15</u>	L14 and (install or uninstall)	177	<u>L15</u>
<u>L14</u>	L10 and image	1366	<u>L14</u>
<u>L13</u>	L10 and uninstall	35	<u>L13</u>

<u>L12</u>	L11 and registry	106	<u>L12</u>
<u>L11</u>	L10 and install	457	<u>L11</u>
<u>L10</u>	717/175,136,146,124,106.ccls. or 712/4.ccls. or 713/179,187,188,176,181,187.ccls. or 726/16,21,26,16,17,21,26.ccls.	3987	<u>L10</u>
<u>L9</u>	L8 and (disassemble or dissembler)	3	<u>L9</u>
<u>L8</u>	L7 and (reverse ADJ engineering)	118	<u>L8</u>
<u>L7</u>	717/\$\$\$ccls.	7272	<u>L7</u>
<u>L6</u>	L5 and L1	57	<u>L6</u>
<u>L5</u>	(717/124).ccls.	531	<u>L5</u>
<u>L4</u>	L1 AND disassembler	0	<u>L4</u>
<u>L3</u>	L2 AND disassembler	0	<u>L3</u>
<u>L2</u>	L1 AND (Reverse ADJ engineering)	19	<u>L2</u>
<u>L1</u>	717/136 717/146 717/106 717/.ccls. Or 345/A 345/D.ccls. Or (703/23).ccls. OR (712/4).ccls.	1777	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L10 NOT L13	4

Database:

US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
--

Search:

Search History

DATE: Wednesday, May 09, 2007

[Purge Queries](#)
[Printable Copy](#)
[Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB; PLUR=NO; OP=OR

<u>L14</u>	L10 NOT L13	4	<u>L14</u>
<u>L13</u>	435/\$\$\$\$.ccls.	62619	<u>L13</u>
<u>L12</u>	L10 and 2003	54	<u>L12</u>
<u>L11</u>	L10 and image.ab.	0	<u>L11</u>
<u>L10</u>	L8 and 326	77	<u>L10</u>
<u>L9</u>	L8 and 37326	0	<u>L9</u>
<u>L8</u>	L7 and image	152	<u>L8</u>
<u>L7</u>	burkhardt	408	<u>L7</u>


DB=USPT; PLUR=NO; OP=OR

<u>L6</u>	6721946.pn. or 7181740.pn.	2	<u>L6</u>
<u>L5</u>	L4 and 7\$\$/\$\$\$\$.ccls.	1108	<u>L5</u>
<u>L4</u>	L3 and registry	2093	<u>L4</u>
<u>L3</u>	image and (backup or copy)	74109	<u>L3</u>
<u>L2</u>	acronis.as.	1	<u>L2</u>

L1 spence.xa.

1 L1

END OF SEARCH HISTORY

[Corporate Solutions](#)[Home and Home Office](#)[Solutions for OEMs](#)[Home](#) [Products](#) [Purchase](#) [Partners](#) [Support](#) [Resources](#)④ [Acronis Products](#)**Acronis True Image Home**[Overview](#)[Version comparisons](#)[Features](#)[Backup](#)[Recovery](#)[Management](#)[Storage Media](#)[Tools](#)[System requirements](#)[Awards](#)[Reviews](#)[Customer Testimonials](#)[FAQ](#)[Submit comments](#)[Buy now](#)**Acronis products:** [Acronis Disk Director Suite](#) [Acronis Privacy Expert Suite](#) [Acronis Power Utilities](#) [other Acronis Home and Home Office Products](#) [see also Acronis Corporate Products](#) [Acronis newsletter](#)[Details...](#)[Home](#) > [Acronis Products](#) > [Acronis True Image 10 Home](#) >

Acronis True Image 10 Home Key Features

Acronis True Image 10 Home provides the maximum flexibility to ensure you are able to recover from unforeseen events such as viruses, unstable software downloads, and hardware failure. You can create an exact copy of your PC for a full backup or backup only your important data and a choice!

You've accumulated a **lifetime of memories** on your home PC, in addition to important documents such as tax returns and resumes, not to mention all the applications you have installed. You can ensure each family member that took countless hours to set up. Acronis True Image 10 Home ensures that you are adequately protected; **ensuring that you can recover your precious** data or your computer hard disk is damaged by a virus.

Disk Imaging — Acronis True Image includes our patented disk imaging backup technology that creates a complete image of your entire PC, including the operating system, applications, user settings, and hardware. In the event of a system or disk crash, virus attack or other fatal failure you can restore your system and all your data. No reinstallation is required!

Backup your music, video, and digital photos — Protect your digital memories from a fatal system failure. With Acronis True Image you can ensure your digital data is preserved, even if your system fails.



Outlook backup — Create a backup copy of your e-mails, contacts, calendar, news folders, e-mail rules and user settings with just a few mouse clicks!

Protect your applications — Use Acronis True Image to restore all the settings for your applications, including iTunes, Windows Media Player and dozens of popular applications!

Features

- Backup
- Recovery
- Management
- Storage Media
- Tools

Contact Sales:

-  [Consumer Sales Request](#)
-  [Buy Now](#)

More information:

-  [Download for more information](#)
-  [Customer Support](#)

Acronis, Acronis logo, "Acronis True Image", Acronis True Image logo, "True Image" and "Snap Deploy" are all trademarks of Acroni
Privacy Statement